



LOGUS PHARMA  
**PRODUCT  
CATALOGUE**



DISMICHEL® CREAM	p. 6
GINFAST® IR TABLETS	p. 6
GINFAST® IR SACHETS	p. 7
GINFAST® PLUS SACHETS	p. 7
GINFAST® PRL CHEWABLE TABLETS	p. 8
LOGUSFER® CAPSULES	p. 8
LOGUSGYN® INTIMATE CLEANSER	p. 9
LOGUSGYN® IMMUNO SACHETS	p. 9
LOGUSGYN® VAGINAL DOUCHE	p. 10
LOGUSGYN® VAGINAL SUPPOSITORIES	p. 10
LOGUSMAG® STICKS	p. 11
NETTARDEP® LONG LIFE SINGLE-DOSE BOTTLES	p. 11
NIKEDEP® PLUS SACHETS	p. 11
OPALEN TOP® CREAM	p. 12
PAUDEP® TOTAL CAPSULES	p. 12
PELVIPEA® CAPSULES	p. 13
PREDOLGYN® TABLETS	p. 13
SALIVIT® SACHETS	p. 14
SALIVIT® 9MESI TABLETS+SOFTGELS	p. 14
SALIVIT® IMMUNO CAPSULES	p. 15
SALIVIT® MG OROSOLUBLE STICKS	p. 15
SALIVIT® PERLATTE TABLETS	p. 16
VENDEP® CAPSULES	p. 16
VENDEP® EMULGEL	p. 17
VENDEP® PRO STICKS	p. 17

## ANDROLOGY, REPRODUCTIVE MEDICINE

GINFAST® IR TABLETS	p. 6
GINFAST® IR SACHETS	p. 7
GINFAST® PLUS SACHETS	p. 7
GINFAST® PRL CHEWABLE TABLETS	p. 8
LOGUSFER® CAPSULES	p. 8
PELVIPEA® CAPSULES	p. 13
SALIVIT® IMMUNO CAPSULES	p. 15

## CARDIOLOGY, CARDIO-VASCULAR REHABILITATION MEDICINE

GINFAST® IR TABLETS	p. 6
SALIVIT® SACHETS	p. 14
SALIVIT® MG OROSOLUBLE STICKS	p. 15
VENDEP® CAPSULES	p. 16
VENDEP® EMULGEL	p. 17
VENDEP® PRO STICKS	p. 17

## DERMATOLOGY, ESTHETIC MEDICINE AND SURGERY

DISMICHEL® CREAM	p. 6
OPALEN TOP® CREAM	p. 12
SALIVIT® IMMUNO CAPSULES	p. 15
VENDEP® CAPSULES	p. 16
VENDEP® EMULGEL	p. 17
VENDEP® PRO STICKS	p. 17

## DIABETOLOGY, ENDOCRINOLOGY

GINFAST® IR TABLETS	p. 6
GINFAST® IR SACHETS	p. 7
GINFAST® PLUS SACHETS	p. 7
GINFAST® PRL CHEWABLE TABLETS	p. 8
LOGUSMAG® STICKS	p. 11
SALIVIT® MG OROSOLUBLE STICKS	p. 15

## DIETOLOGY

GINFAST® IR TABLETS	p. 6
GINFAST® IR SACHETS	p. 7
LOGUSFER® CAPSULES	p. 8
SALIVIT® SACHETS	p. 14

## GASTRO-ENTEROLOGY, PROCTOLOGY

LOGUSFER® CAPSULES	p. 8
LOGUSMAG® STICKS	p. 11
SALIVIT® MG OROSOLUBLE STICKS	p. 15
VENDEP® PRO STICKS	p. 17

## GENERAL SURGERY

DISMICHEL® CREAM	p. 6
LOGUSFER® CAPSULES	p. 8
NETTARDEP® LONG LIFE SINGLE-DOSE BOTTLES	p. 11

## GERIATRICS

LOGUSFER® CAPSULES	p. 8
LOGUSMAG® STICKS	p. 11
NETTARDEP® LONG LIFE SINGLE-DOSE BOTTLES	p. 11
SALIVIT® SACHETS	p. 14
SALIVIT® MG OROSOLUBLE STICKS	p. 15

## • NOTE

All such products are potentially prescribed by GPs.

## GYNECOLOGY, SENOLOGY

GINFAST® IR TABLETS	p. 6
GINFAST® IR SACHETS	p. 7
GINFAST® PLUS SACHETS	p. 7
GINFAST® PRL CHEWABLE TABLETS	p. 8
LOGUSFER® CAPSULES	p. 8
LOGUSGYN® INTIMATE CLEANSER	p. 9
LOGUSGYN® IMMUNO SACHETS	p. 9
LOGUSGYN® VAGINAL DOUCHE SINGLE-DOSE BOTTLES	p. 10
LOGUSGYN® VAGINAL SUPPOSITORIES	p. 10
LOGUSMAG® STICKS	p. 11
OPALEN TOP® CREAM	p. 12
PAUDEP® TOTAL CAPSULES	p. 12
PELVIPEA® CAPSULES	p. 13
PREDOLGYN® TABLETS	p. 13
SALIVIT® 9MESI TABLETS+SOFTGELS	p. 14
SALIVIT® IMMUNO CAPSULES	p. 15
SALIVIT® MG OROSOLUBLE STICKS	p. 15
SALIVIT® PERLATTE TABLETS	p. 16

## NEONATOLOGY

SALIVIT® 9MESI TABLETS+SOFTGELS	p. 14
SALIVIT® PERLATTE TABLETS	p. 16

## ONCOLOGY

LOGUSFER® CAPSULES	p. 8
PELVIPEA® CAPSULES	p. 13

## ORTHOPEDICS, RHEUMATOLOGY, PHYSIATRY, PHYSIOTHERAPY, TRAUMATOLOGY

LOGUSMAG® STICKS	p. 11
PAUDEP® TOTAL CAPSULES	p. 12
SALIVIT® MG OROSOLUBLE STICKS	p. 15

## PEDIATRICS

GINFAST® IR TABLETS	p. 6
GINFAST® IR SACHETS	p. 7
SALIVIT® 9MESI TABLETS+SOFTGELS	p. 14
SALIVIT® IMMUNO CAPSULES	p. 15
SALIVIT® PERLATTE TABLETS	p. 16

## NEUROLOGY, CHILD NEURO-PSYCHIATRY, PSYCHIATRY, PSYCHO-GERIATRICS

GINFAST® PRL CHEWABLE TABLETS	p. 8
LOGUSMAG® STICKS	p. 11
NETTARDEP® LONG LIFE SINGLE-DOSE BOTTLES	p. 11

## SPORTS MEDICINE

LOGUSMAG® STICKS	p. 11
NETTARDEP® LONG LIFE SINGLE-DOSE BOTTLES	p. 11
NIKEDEP® PLUS SACHETS	p. 11
SALIVIT® SACHETS	p. 14
SALIVIT® MG OROSOLUBLE STICKS	p. 15

## UROLOGY, NEPHROLOGY

LOGUSFER® CAPSULES	p. 8
PELVIPEA® CAPSULES	p. 13

## VASCULAR MEDICINE, VASCULAR SURGERY, PHLEBOLOGY, ANGIOLOGY

DISMICHEL® CREAM	p. 6
VENDEP® CAPSULES	p. 16
VENDEP® EMULGEL	p. 17
VENDEP® PRO STICKS	p. 17

## DISMICHEL® CREAM



50 ml

CLASS II MD C € 1370

### INDICATIONS

Intensive local treatment formulated to relieve and prevent hemosiderinic dyschromia and melanin hyperpigmentations.

### BASED ON

**a.RBS<sup>4</sup> Complex®:** liposomal Apo-Lactoferrin, Arbutin, Dissolvine®, Kojic acid

### USE

**Adults:** apply locally several times a day.

### PROPERTIES

- It contains **a.RBS<sup>4</sup> Complex®**, which combines chelating action of liposomal Apo-Lactoferrin and Dissolvine® with depigmenting action of Arbutin and Kojic Acid.
- It contains **liposomal Apo-Lactoferrin:** Lactoferrin is included inside a liposome to ensure its trans-dermal absorption and to protect the active ingredient from oxidative degradation.
- It contains **Dissolvine®:** a glutamic acid derivative with chelating properties. It acts in synergy with liposomal Apo-Lactoferrin, amplifying its sequestering effect on iron.
- Rapid absorption. Not greasy.
- Allergen, colorant, paraben, petrolatum, fragrance and silicon free.
- Nickel tested.
- **Clinically tested:** clinical observational study (*Hyperpigmentation treatment: comparison between laser therapy and a topical product*) presented at the **24<sup>th</sup> Dermatology World Congress** (Milan, 2019).

**THERAPEUTIC AREAS:** DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY • VASCULAR MEDICINE  
VASCULAR SURGERY • PHLEBOLOGY • ANGIOLOGY • GENERAL SURGERY

## GINFAST® IR 30 TABLETS



Ministry of Health code no. 110730



### INDICATIONS

Recommended for maternal metabolic control in insulin-resistant pregnancy and in menopause.

### BASED ON

D-chiro-inositol, Melatonin, Folate from Quatrefolic® [(6S)-5-Methyltetrahydrofolic acid, glucosamine salt]

### USE

**Adults:** 1 tablet a day, preferably in the evening before bedtime.

### PROPERTIES

- It improves tissue sensitivity to the action of insulin, reducing compensatory hyperinsulinemia and the levels of homocysteinemia.
- **500 mg D-chiro-inositol/tablet.**
- It contains **Folate from Quatrefolic®:** a biologically active form of Folic acid (5-MTHF) that does not need to be metabolized to perform its action, does not mask Vitamin B12 deficiency and is completely soluble in water.
- Allergen, colorant, preservative and sweetener free.

**THERAPEUTIC AREAS:** GYNECOLOGY • DIABETOLOGY • ENDOCRINOLOGY • DERMATOLOGY • DIETOLOGY • CARDIOLOGY • PEDIATRICS

&gt;&gt; NEW

## GINFAST® IR

30 SACHETS


 3.05 g

### INDICATIONS

Indicated to restore ovulation, improve oocyte quality and metabolic profile in adolescents and women with Polycystic Ovary Syndrome (PCOS). Also suitable in menopause and post-menopause for metabolic control and body weight control.

### BASED ON

Folate from Quatrefolic® [(6S)-5-Methyltetrahydrofolic acid, glucosamine salt], White mulberry, Myo-inositol

### USE

**Adolescents and adults:** 1 sachet during main meals, twice a day. Pour the content of the sachet in a glass of water (150 ml), stir well and take with the meal. It is important that the solution reaches the gut along with the food.

### PROPERTIES

- **Myo-inositol** acts as a second messenger of the hormones FSH, insulin and TSH. It promotes the regulation of the menstrual cycle and oocyte quality, improving the management of polycystic ovary syndrome (PCOS). It improves tissue sensitivity to insulin, regulating metabolism. It also supports the psycho-physical and cardiovascular health of women during menopause and post-menopause.
- **White mulberry** contains substances such as 1-deoxynojirimycin (DNJ), known to reduce the intestinal absorption of carbohydrates. It reversibly inhibits the enzymes responsible for the digestion of carbohydrates, reducing the post-prandial glycemic and insulin peak, regulating blood sugar levels and reducing insulin resistance. It stimulates the release of late GLP-1, reducing appetite, promoting the feeling of satiety and promoting weight loss.
- **Folate** helps regulate the menstrual cycle, promotes ovulation and controls homocysteine levels, linked to insulin resistance. During menopause, it promotes cardiovascular and bone health.
- Contains **Folate from Quatrefolic®**: biologically active form of Folic acid (5 MTHF) that does not need to be metabolized to exert its action, does not mask Vitamin B12 deficiency and is completely soluble in water.
- Excellent palatability: peach tea flavour.
- Without allergens, colorants, preservatives and added sugars.

**THERAPEUTIC AREAS:** GYNECOLOGY • DIABETOLOGY • ENDOCRINOLOGY • DERMATOLOGY • DIETOLOGY • CARDIOLOGY • PEDIATRICS

## GINFAST® PLUS

20 SACHETS


 4.7 g

Ministry of Health code no. 84191



### INDICATIONS

Indicated to restore ovulation, improve oocyte quality and metabolic profile in adolescents and women with Polycystic Ovary Syndrome (PCOS), during pregnancy and in preparation for Medically Assisted Reproduction (MAP) procedures.

### BASED ON

Myo-inositol, Melatonin, Folate from Quatrefolic® [(6S)-5-Methyltetrahydrofolic acid, glucosamine salt]

### USE

**Adults:** 1 sachet a day, dissolved in a glass of water (150 ml), preferably in the evening before bedtime.

### PROPERTIES

- It restores ovulation, improves oocytes quality and counteracts insulin-resistance.
- In case of MAP procedures, it improves oocyte quality and reduces side effects associated with ovarian hyperstimulation.
- **4 g of Myo-inositol/sachet.**
- It contains **Folate from Quatrefolic®**: a biologically active form of Folic acid (5-MTHF) that does not need to be metabolized to perform its action, does not mask Vitamin B12 deficiency and is completely soluble in water.
- Excellent palatability: lemon flavour.
- Allergen, colorant and preservative free. No added sugar.

**THERAPEUTIC AREAS:** GYNECOLOGY • ENDOCRINOLOGY • DERMATOLOGY

## GINFAST® PRL

### 30 CHEWABLE TABLETS



Ministry of Health code no. 111604

#### INDICATIONS

Recommended for the treatment of migraine associated with premenstrual syndrome.

#### BASED ON

Chaste tree d.e.

#### USE

**Adults:** 1 tablet a day. The tablet can be chewed or swallowed with a little water, preferably in the evening before bedtime.

#### PROPERTIES

- It contains a **high concentration (20 mg) of the most concentrated Chaste tree extract on the market** (D/E=10:1): dose-dependent efficacy.
- It ensures a significant reduction in basal prolactin levels (a result comparable to that obtained in patients treated with bromocriptine).
- It also guarantees a reduction of prolactin levels in the luteal phase.
- It inhibits prolactin secretion in the dynamic metoclopramide test (DMT) and in the TRH stimulation test.
- **18 clinical trials, for a total of about 8,336 patients treated with Chaste tree**, support its efficacy.
- **It is formulated in chewable tablets:** a rapid-release pharmaceutical form that guarantees fast and optimal absorption of the active ingredient and high compliance even for patients with difficulty in swallowing.
- Excellent palatability: orange flavour.
- Allergen, colorant and preservative free.

**THERAPEUTIC AREAS: ENDOCRINOLOGY • GYNECOLOGY • PSYCHIATRY**

## LOGUSFER®

### 20 CAPSULES



Ministry of Health code no. 63892



#### INDICATIONS

Recommended for all sideropenic conditions.

#### BASED ON

SunActive® Fe – Microencapsulated ferric pyrophosphate, Lactoferrin, Folate as Quatrefolic® [(6S)-5 Methyltetrahydrofolic acid, glucosamine salt]

#### USE

**Adults:** 1 capsule a day, at any time of the day.

#### PROPERTIES

- Ideal formulation to counteract iron deficiencies, even chronic ones.
- It contains **SunActive® Iron**, Microencapsulated ferric pyrophosphate, highly bioavailable and digestible: it does not cause irritation, sense of heaviness and leaves no unpleasant aftertaste. Clinical studies supporting high bioavailability and efficacy. *TAIYO GmbH* internal data.
- The co-administration of **SunActive® Iron** and **Lactoferrin** ensures a significant increase and normalization of blood parameters related to the condition of sideropenic anemia.
- It contains **Folate from Quatrefolic®**: a biologically active form of Folic acid (5-MTHF) that does not need to be metabolized to perform its action, does not mask Vitamin B12 deficiency and is completely soluble in water.
- High patient compliance.
- Preservative and sweetener free. No added sugar.
- Gluten free.
- Naturally lactose free.

**THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • GERIATRICS • GYNECOLOGY • ONCOLOGY • CARDIOLOGY • NEPHROLOGY • GENERAL SURGERY • DIETOLOGY**





## LOGUSGYN® INTIMATE CLEANSER



 250 ml

### INDICATIONS

Intimate cleanser specific for the genital mucous membranes that soothes and maintains the pH slightly acidic, protecting intimate well-being, even during the menstrual cycle.

### BASED ON

Aloe vera, Lactic acid

### USE

**Adults:** make daily washes with 1 dose diluted with water directly on the palm of the hand. Rinse thoroughly.

### PROPERTIES

- 250 ml size.
- Daily use.
- Easy to rinse.
- It contains menthol and eucalyptus, which give an immediate sensation of freshness.
- **Formulated without:** parabens, petrolatum, silicones, colorants, SLS, PEG, copolymers, thiazolinones, EDTA and SLES.
- Allergen free fragrance.
- Nickel tested.
- pH of the solution: 4.
- Dermatologically tested.

THERAPEUTIC AREAS: GYNECOLOGY

>> NEW

## LOGUSGYN® IMMUNO 10 SACHETS



 3 g



### INDICATIONS

Indicated for the prevention and treatment of symptoms associated with urogenital inflammation/infections and in all those conditions that cause an imbalance in vaginal eubiosis, such as Genitourinary Syndrome of Menopause (GSM), endometriosis, adenomyosis.

### BASED ON

- **Beta-glucan**
- **Probiotics:** IMMUNOBLEND active® (*Lactobacillus acidophilus* La-14, *Lactobacillus casei* Lc-11, *Lactobacillus plantarum* Lp-115, *Streptococcus termophilus* St-21)

### USE

#### • UROGENITAL INFECTIONS/INFLAMMATIONS (EVEN IN THE PRESENCE OF HPV):

- **Prevention:** 1 sachet a day, dissolved in a glass of water (150 ml), for 10 days, starting 10 days before the expected date of the beginning of the menstrual cycle.
- **Treatment:** 1 sachet a day, dissolved in a glass of water (150 ml), for 30 days.

#### • FOR THE MAINTENANCE OF VAGINAL EUBIOSIS IN OTHER GYNECOLOGICAL CONDITIONS:

- **Prevention:** 1 sachet a day, dissolved in a glass of water (150 ml), for at least 10 days a month.

### PROPERTIES

- Based on **IMMUNOBLEND active®**, a patented blend of multistrains and multispecies probiotics (**12 billion CFUs/ sachet**), and **Beta-glucan**, an anti-inflammatory and immunomodulating prebiotic.
- Contributes to maintaining and restoring intestinal and vaginal eubiosis, improves the integrity of the vaginal epithelial barrier, modulates the immune response and reduces inflammation.
- Packaging designed to ensure the vitality of probiotics.
- It does not need to be stored at low temperatures.
- Excellent palatability: peach flavour.
- Allergen, colorant and preservative free.

THERAPEUTIC AREAS: GYNECOLOGY

## LOGUSGYN®

VAGINAL DOUCHE  
5 SINGLE-USE BOTTLES



140 ml

CLASS II MD C € 1370



### INDICATIONS

Indicated for the prevention and treatment of symptoms associated with vulvovaginitis of any origin, even in the presence of HPV.

### BASED ON

IMMUNOBLEND - mixture of tyndallized milk ferments (*Lactobacillus acidophilus* HA-122, *Lactobacillus casei* HA-108, *Lactobacillus plantarum* HA-119, *Streptococcus termophilus* HA-110), Lactic acid

### USE

#### UROGENITAL INFECTIONS/INFLAMMATIONS (EVEN IN THE PRESENCE OF HPV):

- **Prevention:** 1 vaginal douche a day, preferably in the evening before bedtime, for 10 days, starting 10 days before the expected date of the beginning of the menstrual cycle.
- **Treatment:** 1 vaginal douche a day, preferably in the evening before bedtime, for 10 days.

### PROPERTIES

- Based on **tyndallized milk ferments**, probiotics selected for their ability to influence the vaginal ecosystem and strengthen the immune system and **other functional ingredients** with soothing and antioxidant action.
- Single-use non-sterile solution for intimate hygiene.
- In convenient single-use bottles with a practical, removable, rotating and tilting cannula, which avoids accidental trauma and dispenses the gynecological solution uniformly.
- **Formulated with:** chlorhexidine 0.2%.
- **It does not contain** parabens and allergens.
- pH of the solution: 4.3.
- **Clinically tested:**  
Forleo, F., Pelosi, F. M., Bianco, L., & Petrella, V. (2024). *Efficacy and safety of vaginal formulations with tyndallized ferments in subjects with nonspecific vulvovaginitis: A randomized study in Italy. Journal of Obstetrics and Gynaecology Research.*
- Excellent compliance for the patient.

THERAPEUTIC AREAS: GYNECOLOGY

## LOGUSGYN®

10 VAGINAL SUPPOSITORIES



2 g

CLASS II MD C € 1370



### INDICATIONS

Indicated for the prevention and treatment of symptoms associated with vulvovaginitis of any origin, even in the presence of HPV.

### BASED ON

IMMUNOBLEND - mixture of tyndallized milk ferments (*Lactobacillus acidophilus* HA-122, *Lactobacillus casei* HA-108, *Lactobacillus plantarum* HA-119, *Streptococcus termophilus* HA-110), Lactic acid, Guar gum, Pot marigold

### USE

#### UROGENITAL INFECTIONS/INFLAMMATIONS

- **Prevention:** 1 vaginal suppository a day, preferably in the evening before bedtime, for 10 days, starting 10 days before the expected date of the beginning of the menstrual cycle.
- **Treatment:** 1 vaginal suppository a day, preferably in the evening before bedtime, for 10 days.

#### UROGENITAL INFECTIONS/INFLAMMATIONS (EVEN IN THE PRESENCE OF HPV):

- **Prevention:** 1 vaginal suppository a day, preferably in the evening before bedtime, for 10 days, from 10 days before the expected date of the beginning of the menstrual cycle.
- **Treatment:** 1 vaginal suppository a day, preferably in the evening before bedtime, for 30 days.

#### FOR THE MAINTENANCE OF VAGINAL EUBIOSIS IN OTHER GYNECOLOGICAL CONDITIONS:

- **Prevention:** 1 vaginal suppository a day, preferably in the evening before bedtime, for at least 10 days a month.

### PROPERTIES

- Based on **tyndallized milk ferments**, probiotics selected for their ability to influence the vaginal ecosystem and strengthen the immune system, and **other functional ingredients** with soothing and antioxidant action.
- **Formulated with:** Vitamins A and E.
- **Formulated without:** parabens and allergens.
- **Clinically tested:**  
- Forleo, F., Pelosi, F. M., Bianco, L., & Petrella, V. (2024). *Efficacy and safety of vaginal formulations with tyndallized ferments in subjects with nonspecific vulvovaginitis: A randomized study in Italy. Journal of Obstetrics and Gynaecology Research.*  
- Guaraldi, C., Costantino, M., & Costantino, D. (2017). *Tyndallized lactic ferments: new possible therapies in treating vaginitis. Minerva ginecologica, 69(1), 112.*
- **Excellent compliance for the patient.**

THERAPEUTIC AREAS: GYNECOLOGY



## LOGUSMAG®

30 STICKS



1.8 g

Ministry of Health code no. 89202



### INDICATIONS

Recommended to support the main gynecological disorders associated to the menstrual cycle, pregnancy and lactation, menopause and other conditions resulting from hypomagnesia, such as fibromyalgia and use of proton pump inhibitors (PPIs).

### BASED ON

Inulin, Magnesium: citrate, marine (carbonate, chloride, hydroxide, oxide, sulfate), pidolate

### USE

**Adults:** 1-2 sticks a day, dissolved directly in the mouth or in a glass of water (150 ml).

### PROPERTIES

- Balanced mix of organic and inorganic **magnesium** salts.
- **Inulin**, besides performing a prebiotic action, improves the intestinal absorption and bioavailability of magnesium.
- Practical fast absorption sticks.
- It offers an ideal integration in the gynecological field that supports women in case of: menstrual cycle disorders such as PMS, oligomenorrhea and dysmenorrhea, catamenial migraine, pregnancy, gestational diabetes, preeclampsia, breastfeeding; menopause, metabolic syndrome, osteoporosis; and in conditions of hypomagnesia, such as fibromyalgia and prazole (PPIs) use.
- Excellent palatability: lemon flavour.
- Allergen and preservative free.

**THERAPEUTIC AREAS:** GYNECOLOGY • SPORTS MEDICINE • CARDIOLOGY • CARDIO-VASCULAR REHABILITATION MEDICINE • DIABETOLOGY • ENDOCRINOLOGY • GERIATRICS • NEUROLOGY • PSYCHIATRY • ORTHOPEDICS • GASTRO-ENTEROLOGY

## NETTARDEP®

20 LONG LIFE  
SINGLE-DOSE BOTTLES



10 ml

Ministry of Health code no. 41918

### INDICATIONS

Recommended in all conditions of weakened immune system, nutritional deficiencies, seasonal asthenia, intensive study and convalescence.

### BASED ON

Acacia honey, Rose root fluid e., Bilberry fruit juice concentrate, Schisandra d.e. 1% Schisandrin, Ashwagandha d.e. 2.5% Withanolides, Acetyl-L-Carnitine, Royal Jelly, Pomegranate fruit juice concentrate, Vitamin C, Phosphatidylserine, L-Theanine, Vitamin B6, Folic acid, Vitamin B12

### USE

**Adults:** 1 single-dose bottle a day, preferably in the morning.

### PROPERTIES

- Triple action: tonic, restorative and immunostimulant, it provides a fast release physical and mental energy.
- Adaptogens and antioxidants enriched formula.
- It contains Acacia honey of EU origin.
- Practical **LONG LIFE single-dose bottles** that ensure quality and stability.
- Excellent palatability: cola flavour.
- Colorant free.
- Gluten free.
- Naturally lactose free.

**THERAPEUTIC AREAS:** GENERAL SURGERY • GERIATRICS • NEUROLOGY • PSYCHIATRY • SPORTS MEDICINE

## NIKEDEP® PLUS

20 SACHETS



10.78 g

Ministry of Health code no. 36769

### INDICATIONS

Recommended to increase energy, improve physical endurance and delay the feeling of fatigue.

### BASED ON

Creatine, L-Arginine, Carnitine, Beta-Alanine, Taurine, Guarana d.e. 8% Caffeine, Coenzyme Q10, Vitamin C, Pido-Zinc® Zinc pidolate, Selenium, L-Methionine

### USE

**Adults:** 1 sachet a day, dissolved in a glass of water (200 ml), preferably in the morning.

### PROPERTIES

- Pro-energetic and ergogenic based on phytoextracts, amino acids, vitamins and minerals.
- It provides rapid release energy, promoting an increase in physical and mental performance and antioxidant protection.
- It contains a high amount of **Creatine (3 g/sachet)** and **Arginine (2 g/sachet)**.
- It contains **Pido-Zinc®**, a highly bioavailable Zinc pidolate.
- Excellent palatability: orange flavour.
- Allergen and preservative free.

**THERAPEUTIC AREAS:** SPORTS MEDICINE

## OPALEN TOP<sup>®</sup> CREAM



50 ml



### INDICATIONS

Sebum-regulating and restructuring dermocosmetic of skin barrier. It supports and completes the pharmacological treatment of acne. It is useful in the prevention of scars and dark spots. With UVA, UVB/SPF30 filters and IR protection system.

### BASED ON

Hyaluronic acid, Phytosphingosine, Saniskin<sup>®</sup>, Sebocea<sup>®</sup>, Zincidone<sup>®</sup>

### USE

#### Adolescents and adults:

- Apply a thin layer of cream on clean and dry skin, avoiding the eye area. Massage gently to favour absorption.
- It can be used without the need for interruptions, even during the summer season.
- If used as a specific sunscreen: apply a sufficient amount of cream before sun exposure and re-apply frequently to maintain protection, especially after sweating or getting wet.

### PROPERTIES

- Soothing and mattifying cream with an excellent texture, composed of a mix of patented ingredients and functional active ingredients that integrate and improve anti-acne drug therapies.
- It contains **Sebocea<sup>®</sup>**, a patented aqueous extract of algae that performs a sebum-regulating action and a strong antioxidant action.
- It contains **Saniskin<sup>®</sup>**, a patented formula consisting of two molecules of plant origin biotechnologically converted to enhance their antibacterial and restructuring action of the hydrolipidic cutaneous film. It is 20 times more effective on *C. acnes* than benzoyl peroxide at the doses commonly used in the anti-acne products.
- It contains **Phytosphingosine** that exerts an anti-inflammatory and antibacterial action. It is also able to restore the skin barrier.
- It contains **Zincidone<sup>®</sup>**, a patented ingredient that stimulates the production of new collagen during remodeling tissues, that is useful to restore the integrity of the injured epidermal layer and the functionality of the skin barrier.
- It contains **Hyaluronic acid** produced with a biotechnological method and approved by ECOCERT as an organic and natural cosmetic.
- Light *skin feeling* thanks to a biomimetic emulsifier made of liquid crystals based on fatty acids from olive oil.
- It contains the **latest generation of chemical sunscreens**: it can be used as a specific sunscreen during sun exposure.
- Excellent **make-up base**.
- Delicate hypoallergenic fragrance.
- **Rapid absorption. Not greasy.**
- Paraben, petrolatum, silicone, colorant, SLS, PEG, BHA and BHT free. Allergen free fragrance. Nickel tested.
- Dermatologically tested.

THERAPEUTIC AREAS: DERMATOLOGY • GYNECOLOGY

## PAUDEP<sup>®</sup> TOTAL 30 CAPSULES



Ministry of Health code no. 105644

### INDICATIONS

Recommended for the treatment of menopausal symptoms.

### BASED ON

Griffonia d.e. 20% 5-HTP, Hawthorn d.e. 3% total Flavonoids as Vitexin, *Bifidobacterium lactis* 420, Bugbane d.e. 2.5% triterpeneglycosides, Vitamin K2, Vitamin D3, Melatonin

### USE

**Adults:** 1 capsule a day, on a full stomach, preferably in the evening before bedtime.

### PROPERTIES

- It is a complete product: it acts on all the typical symptoms of menopause (neurovegetative, psychological, metabolic ones).
- It contains **Vitamin K2** in association with **Vitamin D3**, for the prevention of osteoporosis and atherosclerotic processes.
- It reduces visceral fat accumulation: a clinical trial on body weight control by *Bifidobacterium lactis* 420 (10 billion CFUs/capsule) was conducted.
- Ideal amount of **Bugbane** extract.
- It is safe, effective, tolerable: it does not alter the plasma hormone profile and the endometrial thickness, it does not increase the risk of venous thrombo-embolism and does not exert estrogenic effects on the mammary gland and uterus.
- Single administration.
- Allergen, colorant, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: GYNECOLOGY • ORTHOPEDICS (OSTEOPOROSIS PRAXIS)



## PELVIPEA®

40 CAPSULES



Ministry of Health code no. 156676

### INDICATIONS

Recommended for multimodal treatment against inflammatory and dysfunctional pelvic pain. Patented formulation.

### BASED ON

PelviPea® - Micronized Palmitoylethanolamide, Hempseed oil\* (*Cannabis sativa* L.), Pycnogenol® (Maritime pine bark dry extract)

### USE

#### Adults:

- **Attack therapy:** up to 3 capsules a day, on a full stomach.
- **Maintenance therapy:** 1 capsule a day, on a full stomach.

\* The hempseed oil contained in PelviPea® is safe and certified. The Decree of the Ministry of Health of 4 November 2019 establishes that food supplements containing derivatives of *Cannabis sativa* L. (seeds, flour obtained from seeds, oil obtained from seeds) must fall within the content limit of 2 mg/kg of THC (as concentration resulting from the sum of the concentrations of the substance "Δ9-THC" and its inactive acid precursor "Δ9-THCA-A").

### PROPERTIES

- **Patented formulation.**
- It enhances the physiological mechanisms of pain control through four main modalities: it blocks the action of proinflammatory and pro-nociceptive agents at the level of the peripheral nervous system; it blocks the propagation of the action potential; it inhibits nociceptive signaling towards the brain and perception of pain in the central nervous system.
- Synergistic efficacy demonstrated in vitro on a cellular model of inflammation: it acts on both **nociceptive pain** (synergistic anti-inflammatory effect of the three ingredients demonstrated on a cellular model THP-1 + T24 urothelial cells) and **neuropathic pain**.
- **Evidence based:** Tafuri, A., Panunzio, A., De Mitri, R., Benetti, F., Gaio, E., & Pagliarulo, V. (2023). *Micronized Palmitoylethanolamide, Hempseed Oil, and Maritime Pine Bark Dry Extract (PelviPea®) for Pelvic Pain: An In Vitro Study for Urothelial Inflammation Treatment. Cells, 12(4), 616.*
- It does not interfere but synergizes with other analgesic therapies.
- It is not habit-forming and does not cause psychotropic effects (THC free).
- Allergen, preservative and sweetener free. No added sugar.

**THERAPEUTIC AREAS: URO-GINECOLOGY • URO-ANDROLOGY**

## PREDOLGYN®

20 TABLETS



Ministry of Health code no. 63911

### INDICATIONS

Recommended for the treatment of hypermenorrhea and dysmenorrhea.

### BASED ON

Meriva® (Turmeric phospholipid) d.e. 18-22% Curcuminoids, Magnesium, Maritime pine d.e. 95% Proanthocyanidins, Shepherd's purse d.e.

### USE

#### Adults:

- **Hypermenorrhea:** 2 tablets a day, in a single administration, only during the days of menstrual flow.
- **Dysmenorrhea:** 1 tablet a day. Increase to 2 tablets a day, in a single administration, at the onset of symptoms.

Do not take this product if you are trying to get pregnant.

### PROPERTIES

- Antihemorrhagic, anti-inflammatory and pain reliever.
- **Shepherd's purse** has a vasoconstrictive and haemostatic action: particularly effective to fight and treat menometrorrhagia and metrorrhagia phenomena.
- The **synergy between Turmeric and Maritime pine** promotes an anti-inflammatory action.
- It contains a high-dosage of **MERIVA® Turmeric phospholipid** that offers a bioavailability of about 29 times higher than non-complexed turmeric dry extract. The **Phytosome®** technology is a patented delivery system that increases the bioavailability of the active ingredient, improving its effectiveness and duration of action. **More than 25 clinical studies** (peer-reviewed and Pubmed indexed) were performed with MERIVA® in different inflammatory pathological conditions.
- **Magnesium** leads to a reduction in emotional instability and muscular tension, promotes an increase in the tolerance for pain and regulates mood.
- Preservative and sweetener free. No added sugar.
- Gluten free.
- Naturally lactose free.

**THERAPEUTIC AREAS: GYNECOLOGY**

## SALIVIT®

20 SACHETS



4.16 g  
Ministry of Health code no. 139045

### INDICATIONS

Recommended in case of tiredness and exhaustion, excessive sweating, prolonged efforts, sports activities, stress and dietary imbalances. Also ideal for restoring cellular homeostasis in post-infectious states.

### BASED ON

Magnesium citrate, Potassium citrate, Ribocare® (nucleotide blend), SuperOx-D (superoxide dismutase).

### USE

**Children from 11Y and adults:** 1 sachet a day, dissolved in a glass of water (150 ml).

### PROPERTIES

- It is an antioxidant and multimineral supplement that helps preserve cellular integrity and functionality.
- It contains highly bioavailable organic salts of **Magnesium and Potassium**.
- It contains **SuperOx-D**, 100% natural superoxide dismutase with high enzymatic activity, useful to counteract oxidative stress.
- It contains **Ribocare®**, a nucleotide blend (AMP, CMP, GMP, IMP, UMP), useful for cellular health and to improve immune response. Ribocare® speeds up the body's recovery time from physical exertion and preserves the intestinal morphology and function.
- Excellent palatability: lime flavour.
- No added sugar: ideal in case of ketogenic diets.
- Allergen, aspartame, acesulfame K, preservative and saccharin free.

**THERAPEUTIC AREAS:** CARDIOLOGY • CARDIO-VASCULAR REHABILITATION MEDICINE • DIETOLOGY • GERIATRICS • SPORTS MEDICINE

## SALIVIT® 9MESI

30 TABLETS + 30 SOFTGELS



Ministry of Health code no. 114447



### INDICATIONS

Recommended to ensure a correct intake of micronutrients to mum and baby before and during pregnancy, until the end of breastfeeding.

### BASED ON

- **Softgel:** DHA from Goldenomega® fish oil
- **Tablet:** SunActive® Fe - micronized and microencapsulated iron pyrophosphate, Vitamin C, Pido-Zinc® Zinc pidolate, Vitamin E, Manganese, Vitamin B3, Copper, Vitamin B5, Vitamin D3, Vitamin B6, Vitamin B2, Vitamin B1, Folate from Quatrefolic® [(6S)-5-Methyltetrahydrofolic acid, glucosamine salt], Potassium, Biotin, Vitamin B12

### USE

**Adults:** 1 tablet and 1 softgel a day. Take the tablet on a full stomach, after breakfast. Take the softgel together with the tablet or at a different time of the day.

### PROPERTIES

- It is a complete and skillfully dosed formula.
- It is packaged in a practical double blister: 2 products in 1.
- It contains **Quatrefolic®**: biologically active form of Folic acid (5-MTHF), 3 times more bioavailable than it. Unlike Folic acid, it is equally effective in the entire population and does not cause hyperhomocysteinemia.
- It contains **SunActive® Fe**, micronized and microencapsulated iron pyrophosphate, highly bioavailable and digestible: it does not cause irritation, sense of heaviness and leaves no unpleasant aftertaste. Clinical studies in pregnant women supporting the high efficacy and safety of action. *TAIYO GmbH* internal data.
- It contains **Pido-Zinc®**, a highly bioavailable Zinc pidolate.
- It contains **Goldenomega®** fish oil that is rich in **DHA** and extracted from wild fishes and anchovies from the Pacific Ocean. The oil is subjected to a patented purification process which ensures the elimination of heavy metals, PCBs and others environmental pollutants. It is certified by FOS (Friends of the Sea) and IFFO (International Fishmeal and Fish Oil Organization) for responsible fishing.
- Excellent palatability: **no metallic and fish aftertaste**, excellent compliance for the patient.
- Preservative and sweetener free. No added sugar.
- Gluten free.
- Naturally lactose free.

**THERAPEUTIC AREAS:** GYNECOLOGY • NEONATOLOGY • PEDIATRICS



## SALIVIT<sup>®</sup> IMMUNO

30 CAPSULES



Ministry of Health code no. 100790



### INDICATIONS

Recommended to strengthen the immune system against viral, bacterial and fungal infections. It supports the function of the immune system even during pregnancy and breastfeeding.

### BASED ON

Bega Bionutrients™ - Lactoferrin, Vitamin C, Vitamin D3, Zinc

### USE

**Children from 8Y and adults:** 1 capsule a day, on a full stomach.

In case of recurrent susceptibility to infections, it is recommended to take the product in repeated cycles. Therapy cycles of at least 3 months, to repeat throughout the year, are suggested.

### PROPERTIES

- It offers a broad-spectrum immunity protection.
- It contains **Bega Bionutrients™ Lactoferrin with an excellent bioactivity and high purity (95%)**, Halal, Kosher, Non-GMO and EFSA novel food approved.
- **Lactoferrin** supports the immune system, has an anti-bacterial and anti-viral action and regulates the absorption and metabolism of iron by removing it from the bacteria that use it as a growth medium.
- **Vitamin C, Vitamin D3 and Zinc** are physiological modulators of the immune system: they coordinate its correct functioning by supporting different aspects of both innate and adaptive immunity.
- Preservative and sweetener free. No added sugar.
- Gluten free.
- Naturally lactose free.
- It contains lactoferrin, a milk derivative.

THERAPEUTIC AREAS: GYNECOLOGY

## SALIVIT<sup>®</sup> MG

30 OROSOLUBLE STICKS



1.8 g

Ministry of Health code no. 139046



### INDICATIONS

It is recommended in the prevention and treatment of magnesium deficiency symptoms, especially in case of predisposing factors or high risk medications, unbalanced diet, physical and mental stress.

### BASED ON

Inulin, Magnesium: citrate, marine (carbonate, chloride, hydroxide, oxide, sulfate), pidolate

### USE

**Adults:** 1 orosoluble stick a day or 2 in case of overt hypomagnesemia. This product can also be dissolved in a glass of water (150 mg).

### PROPERTIES

- Effective Magnesium supplementation at both **plasma** and **intracellular** levels.
- **Best absorbed Magnesium** thanks to inulin which increases intestinal transit.
- **More circulating and assimilated Magnesium** thanks to the combination of organic and inorganic salts.
- Handy orosoluble sticks.
- Excellent palatability: citrus flavour.
- Allergen and preservative free.

THERAPEUTIC AREAS: GYNECOLOGY • SPORTS MEDICINE • CARDIOLOGY • ENDOCRINOLOGY • GERIATRICS • GASTRO-ENTEROLOGY • ORTOPEDICS

## SALIVIT<sup>®</sup> PERLATTE

30 TABLETS



Ministry of Health code no. 108738



### INDICATIONS

Recommended to promote breastfeeding and improve the nutritional and organoleptic characteristics of breast milk. Particularly suitable for mothers of premature babies.

### BASED ON

Calcium, Fennel d.e. 1% Essential oil, Goat's rue d.e., African marigold d.e. 20% Lutein, Vitamin D3

### USE

**Adults:** 2 tablets a day, in a single administration, on a full stomach. The product can be taken after childbirth, for the entire duration of breastfeeding.

### PROPERTIES

- It contains both galactogogues and micronutrients.
- It contains a high concentration of **Goat's rue**.
- It contains **Fennel** as an additional galactogogue, also useful to counteract the appearance of gaseous colics in the infant and to improve the organoleptic characteristics of breast milk.
- The presence of **Vitamin D** counteracts its natural depletion from breast milk, which already occurs 8 weeks after the delivery. The therapeutic dosage ensures a correct concentration of Vitamin D, preventing possible complications for mother and baby.
- The implementation of **Calcium** limits the bone demineralisation obtained by the physiological mechanism of mobilisation of the bone mineral to the mother's milk.
- **Lutein**, from African marigold, is fundamental for a correct neurodevelopment of the child and is particularly useful for preterm babies.
- Allergen, preservative and sweetener free. No added sugar.

**THERAPEUTIC AREAS: GYNECOLOGY • NEONATOLOGY • PEDIATRICS**

## VENDEP<sup>®</sup>

30 CAPSULES



Ministry of Health code no. 311

### INDICATIONS

Recommended in case of venous insufficiency, varicose veins, edemas, heaviness in the lower limbs, itching and swelling. It is also useful in the management of hemorrhoidal pathology.

### BASED ON

Triosmetina<sup>®</sup> (Diosmin, Diosmetin and Escin), Sweet clover d.e. 20% Coumarin, Bromelain 2500 GDU/g, Vitamin C, Ginkgo d.e. 24% Ginkgoflavonoids and 5% Terpene lactones, Gotu kola d.e. 20% Triterpenes, Vitamin E

### USE

**Adults:** 1-2 capsules a day, before meals.

### PROPERTIES

- The mix of ingredients counteracts the formation of edema, capillary filtration, has an anti-inflammatory action and modulates the synthesis of collagen with a consequent vasotonic effect.
- It contains **Triosmetina<sup>®</sup>**, an exclusive association between Diosmin, Diosmetin and Escin, which promotes the improvement of venous tone, the increase of lymphatic drainage and the increase of capillary resistance, reducing its permeability and ensuring protection from damage to the microcirculation.
- **Fast/Retard effect:** Diosmin is metabolized by the intestinal flora which releases Diosmetin, readily absorbed by the body.
- Fast absorption.
- Double action: shock and maintenance.
- Allergen, preservative, sweetener free. No added sugar.

**THERAPEUTIC AREAS: VASCULAR MEDICINE • VASCULAR SURGERY • PHLEBOLOGY • ANGIOLOGY • CARDIOLOGY • DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY**





## VENDEP<sup>®</sup> EMULGEL



 100 ml

### INDICATIONS

Topical gel with soothing and cooling action. Useful in case of water retention, feeling of heaviness and swelling in the lower limbs, capillary fragility and varicose veins.

### BASED ON

Menthol, Escin, Cypress and Lemon Essential oils, Gotu kola, Horse chestnut, Ginkgo, Ivy, Bromelain

### USE

**Adults:** apply locally several times a day. Spread on the affected areas and allow to absorb with a light massage.

### PROPERTIES

- Selected ingredients to provide legs relief and lightness, reducing water retention and lymphatic stasis.
- It guarantees a rapid absorption, does not grease and leaves no residue.
- **Dermatologically tested.**
- It does not contain colorants, parabens, petrolatum, silicones and fragrances.

**THERAPEUTIC AREAS:** VASCULAR MEDICINE • VASCULAR SURGERY • PHLEBOLOGY • ANGIOLOGY • DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY

## VENDEP<sup>®</sup> PRO 40 STICKS



 1.72 g

### INDICATIONS

Recommended in the treatment of venous insufficiency of the lower limbs and hemorrhoidal plexus, as well as in the prevention of epistaxis.

### BASED ON

Micronized diosmin, Micronized hesperidin, Vitamin C

### USE

#### Adults:

- **General posology:** 1 stick a day;
- **Hemorrhoidal disease:** 2 sticks a day for 10 days in acute cases, 1 stick a day in maintenance.

Dissolve the content of the stick in a glass of water and take the suspension with main meals.

### PROPERTIES

- **Diosmin 1000 mg, highly micronized:** very high dosage per single dose, certified particle size of 5 µm. Phlebotonic, capillarotropic and antioxidant effect.
- **Hesperidin 50 mg, highly micronized:** effective dose of hesperidin, certified particle size of 5 µm. Phlebotonic, capillarotropic and antioxidant effect.
- **Vitamin C at 125% of the reference nutritional value:** support for the tonic and antioxidant action of Diosmin and Hesperidin at the level of veins and microcirculation.
- **Suitable for diabetics:** practically zero glycemic load.
- **Excellent palatability:** blueberry flavour.
- Allergen and preservative free.

**THERAPEUTIC AREAS:** VASCULAR MEDICINE • VASCULAR SURGERY • PHLEBOLOGY • PROCTOLOGY • ANGIOLOGY • DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY







**LOGUS  
PHARMA**

**Logus Pharma S.r.l.**

Strada delle Seriole, 43  
47894 Chiesanuova (RSM)

Tel. +39 0549 999506  
[www.loguspharma.com](http://www.loguspharma.com)  
[info@loguspharma.com](mailto:info@loguspharma.com)

