



PHARMALUCE  
**PRODUCT  
CATALOGUE**



ARGIFAST® SACHETS	p. 6	LUXFLUIRES® NASAL SPRAY	p. 16
ARGILUX® SACHETS	p. 6	MUNATORIL® ATTACCO LONG LIFE SINGLE-DOSE BOTTLES	p. 16
BILIREL® TABLETS	p. 7	MUNATORIL® SYRUP	p. 17
CALCOREL® TABLETS	p. 7	MUNATORIL® THROAT SPRAY	p. 17
CALCOREL® CCS SACHETS	p. 8	MUNATORIL® NASAL SPRAY	p. 18
CARDIORIL® SACHETS	p. 8	PERISTIL® FAST DRINKABLE STICKS	p. 18
CARDIORIL® MYO TABLETS	p. 9	PERISTIL® ORAL SOLUTION	p. 19
CARDIORIL® PLUS SINGLE-DOSE BOTTLES	p. 9	REURIL ACTIVE® OROSOLUBLE STICKS	p. 19
COLECRIL® SOFTGELS	p. 10	REURIL PLUS® SACHETS	p. 19
CRC®500 CAPSULES	p. 10	REURIL PLUS® LONG LIFE SINGLE-DOSE BOTTLES	p. 20
CRC® DOL STICKS	p. 11	SONNORIL® DROPS	p. 20
GLICOPER® CAPSULES	p. 11	SONNORIL® ORAL SPRAY	p. 21
GLICOPER® LEI SACHETS	p. 12	SONNORIL® TABLETS	p. 21
GLICOPER® STICKS	p. 13	SPERMACT® TABLETS	p. 22
LINDOFLOL® VAGINAL SUPPOSITORIES	p. 14	ZACHELASE® SACHETS	p. 22
LUXFLUIRES® SACHETS	p. 14	ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES	p. 23
LUXFLUIRES® IMMUNO CAPSULES	p. 14	ZACHELASE® LOX TABLETS	p. 23
LUXFLUIRES® LATTOFERRINA 200.D OROSOLUBLE STICKS	p. 15		
LUXFLUIRES® ORAL SOLUTION	p. 15		
LUXFLUIRES® THROAT SPRAY	p. 15		

**ALLERGOLOGY**

LUXFLUIRES® NASAL SPRAY	p. 16
MUNATORIL® NASAL SPRAY	p. 18
ZACHELASE® SACHETS	p. 22
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES	p. 23
ZACHELASE® LOX TABLETS	p. 23

**ANDROLOGY,  
REPRODUCTIVE MEDICINE**

ARGIFAST® SACHETS	p. 6
COLECRIL® SOFTGELS	p. 10
SPERMACT® TABLETS	p. 22
ZACHELASE® SACHETS	p. 22
ZACHELASE® LOX TABLETS	p. 23

**CARDIOLOGY, CARDIO-VASCULAR  
REHABILITATION MEDICINE**

ARGIFAST® SACHETS	p. 6
ARGILUX® SACHETS	p. 6
CARDIORIL® SACHETS	p. 8
CARDIORIL® MYO TABLETS	p. 9
CARDIORIL® PLUS SINGLE-DOSE BOTTLES	p. 9
COLECRIL® SOFTGELS	p. 10
SONNORIL® DROPS	p. 20
SONNORIL® ORAL SPRAY	p. 21
SONNORIL® TABLETS	p. 21

**DENTISTRY**

ZACHELASE® SACHETS	p. 22
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES	p. 23
ZACHELASE® LOX TABLETS	p. 23

**DERMATOLOGY,  
ESTHETIC MEDICINE AND SURGERY**

COLECRIL® SOFTGELS	p. 10
CRC®500 CAPSULES	p. 10
ZACHELASE® SACHETS	p. 22
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES	p. 23
ZACHELASE® LOX TABLETS	p. 23

**DIABETOLOGY, ENDOCRINOLOGY**

ARGIFAST® SACHETS	p. 6
ARGILUX® SACHETS	p. 6
CARDIORIL® SACHETS	p. 8
CARDIORIL® MYO TABLETS	p. 9
CARDIORIL® PLUS SINGLE-DOSE BOTTLES	p. 9
COLECRIL® SOFTGELS	p. 10
CRC®500 CAPSULES	p. 10
CRC® DOL STICKS	p. 11
GLICOPER® CAPSULES	p. 11
GLICOPER® LEI SACHETS	p. 12
GLICOPER® STICKS	p. 13

**DIETOLOGY**

COLECRIL® SOFTGELS	p. 10
CRC®500 CAPSULES	p. 10
GLICOPER® CAPSULES	p. 11
GLICOPER® LEI SACHETS	p. 12
GLICOPER® STICKS	p. 13
PERISTIL® FAST DRINKABLE STICKS	p. 18
PERISTIL® ORAL SOLUTION	p. 19

**GASTRO-ENTEROLOGY,  
PROCTOLOGY**

BILIREL® TABLETS	p. 7
CALCOREL® TABLETS	p. 7
COLECRIL® SOFTGELS	p. 10
CRC®500 CAPSULES	p. 10
CRC® DOL STICKS	p. 11
PERISTIL® FAST DRINKABLE STICKS	p. 18
PERISTIL® ORAL SOLUTION	p. 19

**GENERAL SURGERY**

CARDIORIL® SACHETS	p. 8
CARDIORIL® PLUS SINGLE-DOSE BOTTLES	p. 9
CRC® DOL STICKS	p. 11
PERISTIL® FAST DRINKABLE STICKS	p. 18
PERISTIL® ORAL SOLUTION	p. 19
ZACHELASE® SACHETS	p. 22
ZACHELASE® LOX TABLETS	p. 23

**GERIATRICS**

ARGILUX® SACHETS	p. 6
CARDIORIL® SACHETS	p. 8
CARDIORIL® MYO TABLETS	p. 9
CARDIORIL® PLUS SINGLE-DOSE BOTTLES	p. 9
COLECRIL® SOFTGELS	p. 10
CRC® DOL STICKS	p. 11
PERISTIL® FAST DRINKABLE STICKS	p. 18
PERISTIL® ORAL SOLUTION	p. 19
SONNORIL® DROPS	p. 20
SONNORIL® ORAL SPRAY	p. 21
SONNORIL® TABLETS	p. 21

**GYNECOLOGY, OBSTETRICS,  
SENOLOGY**

CRC® DOL STICKS	p. 11
GLICOPER® LEI SACHETS	p. 12
LINDOFLOL VAGINAL SUPPOSITORIES	p. 14
PERISTIL® FAST DRINKABLE STICKS	p. 18
PERISTIL® ORAL SOLUTION	p. 19
ZACHELASE® SACHETS	p. 22

**HEPATOLOGY**

BILIREL® TABLETS	p. 7
COLECRIL® SOFTGELS	p. 10
PERISTIL® FAST DRINKABLE STICKS	p. 18
PERISTIL® ORAL SOLUTION	p. 19

**NEONATOLOGY**

ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES	p. 23
--	-------

**ONCOLOGY**

CRC®500 CAPSULES	p. 10
CRC® DOL STICKS	p. 11
GLICOPER® LEI SACHETS	p. 11
ZACHELASE® SACHETS	p. 22
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES	p. 23
ZACHELASE® LOX TABLETS	p. 23

**ORTHOPEDICS, RHEUMATOLOGY,  
PHYSIATRY, PHYSIOTHERAPY,  
TRAUMATOLOGY**

CRC®500 CAPSULES	p. 10
CRC® DOL STICKS	p. 11
ZACHELASE® SACHETS	p. 22
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES	p. 23
ZACHELASE® LOX TABLETS	p. 23

**OPHTHALMOLOGY**

CRC®500 CAPSULES	p. 10
ZACHELASE® SACHETS	p. 22
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES	p. 23
ZACHELASE® LOX TABLETS	p. 23

**OTORHINO-LARYNGOLOGY**

CALCOREL® TABLETS	p. 7
CRC®500 CAPSULES	p. 10
LUXFLUIRES® SACHETS	p. 14
LUXFLUIRES® IMMUNO CAPSULES	p. 14
LUXFLUIRES® LATTOFERRINA 200.D OROSOLUBLE STICKS	p. 15
LUXFLUIRES® ORAL SOLUTION	p. 15
LUXFLUIRES® THROAT SPRAY	p. 15
LUXFLUIRES® NASAL SPRAY	p. 16
MUNATORIL® SYRUP	p. 17
MUNATORIL® THROAT SPRAY	p. 17
MUNATORIL® NASAL SPRAY	p. 18
ZACHELASE® SACHETS	p. 22
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES	p. 23
ZACHELASE® LOX TABLETS	p. 23

**PAIN THERAPY**

CRC®500 CAPSULES	p. 10
CRC® DOL STICKS	p. 11
SONNORIL® DROPS	p. 20
SONNORIL® TABLETS	p. 21
SONNORIL® ORAL SPRAY	p. 21

**PEDIATRICS**

MUNATORIL® ATTACCO LONG LIFE SINGLE-DOSE BOTTLES	p. 16
MUNATORIL® SYRUP	p. 17
MUNATORIL® THROAT SPRAY	p. 17
MUNATORIL® NASAL SPRAY	p. 18
PERISTIL® ORAL SOLUTION	p. 19
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES	p. 23

**PNEUMOLOGY**

ARGILUX® SACHETS	p. 6
LUXFLUIRES® SACHETS	p. 14
LUXFLUIRES® IMMUNO CAPSULES	p. 14
LUXFLUIRES® LATTOFERRINA 200.D OROSOLUBLE STICKS	p. 15
LUXFLUIRES® ORAL SOLUTION	p. 15
MUNATORIL® SYRUP	p. 17
ZACHELASE® SACHETS	p. 22
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES	p. 23
ZACHELASE® LOX TABLETS	p. 23

**PROBIOTICS**

REURIL ACTIVE® OROSOLUBLE STICKS	p. 19
REURIL PLUS® SACHETS	p. 19
REURIL PLUS® LONG LIFE SINGLE-DOSE BOTTLES	p. 20

**PSYCHIATRY, NEUROLOGY,  
CHILD NEURO-PSYCHIATRY,  
PSYCHO-GERIATRICS**

ARGILUX® SACHETS	p. 6
CARDIORIL® SACHETS	p. 8
CARDIORIL® PLUS SINGLE-DOSE BOTTLES	p. 9
COLECRIL® SOFTGELS	p. 10
CRC®500 CAPSULES	p. 10
CRC® DOL STICKS	p. 11
SONNORIL® DROPS	p. 20
SONNORIL® TABLETS	p. 21
SONNORIL® ORAL SPRAY	p. 21

**SPORTS MEDICINE**

CRC® DOL STICKS	p. 11
ZACHELASE® SACHETS	p. 22
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES	p. 23
ZACHELASE® LOX TABLETS	p. 23

**UROLOGY, NEPHROLOGY**

ARGIFAST® SACHETS	p. 6
CALCOREL® TABLETS	p. 7
CALCOREL® CCS SACHETS	p. 8
COLECRIL® SOFTGELS	p. 10
CRC® DOL STICKS	p. 11
SPERMACT® TABLETS	p. 22
ZACHELASE® SACHETS	p. 22
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES	p. 23
ZACHELASE® LOX TABLETS	p. 23

**VASCULAR MEDICINE,  
VASCULAR SURGERY, PHLEBOLOGY,  
ANGIOLOGY**

ZACHELASE® SACHETS	p. 22
ZACHELASE® LOX TABLETS	p. 23

**• NOTE**

All such products are potentially prescribed by GPs.

## ARGIFAST®

14 SACHETS



 7.95 g

Ministry of Health code no. 52298

### INDICATIONS

Recommended in case of oligo-astheno-teratozoospermia, varicocele surgery recovery, in the treatment of male infertility in combination with hormonal therapies, in preparation for Medically Assisted Procreation (MAP) procedures and in the treatment of erectile dysfunction, also in combination with PDE5 inhibitors.

### BASED ON

L-Arginine, Vitamin C, Coenzyme Q10, Tribulus d.e. 40% Steroidal saponins, Ginseng d.e. 8% Ginsenosides, Inositol, Vitamin E, Vitamin B3

### USE

**Adults:** 1 sachet a day, preferably in the morning, dissolved in a glass of water (150 ml). Therapy cycles of at least 3 months are suggested, interrupted by a 14-day break.

### PROPERTIES

- It actively works on four different fronts: spermatogenesis, androgenic system, sperm motility and oxidative stress.
- It stimulates the release of nitric oxide (NO) by the basal endothelium of the corpora cavernosa by exerting a pro-erectile effect.
- It contains **3 g Arginine/sachet**, a semi-essential amino acid: it is the precursor of spermine and spermidine synthesis that play an important role as initiators in the processes of acquiring nemaspermic motility.
- **Clinically tested:** Gambera, L., Stendardi, A., Ghelardi, C., Fineschi, B., & Aini, R. (2019). *Effects of antioxidant treatment on seminal parameters in patients undergoing in vitro fertilization*. *Archivio Italiano di Urologia e Andrologia*, 91(3).
- Excellent palatability: citrus flavour.
- Allergen, colorant and preservative free.

**THERAPEUTIC AREAS: ANDROLOGY • REPRODUCTIVE MEDICINE • UROLOGY • DIABETOLOGY • CARDIOLOGY**

## ARGILUX®

20 SACHETS



 6 g

Ministry of Health code no. 149840

### INDICATIONS

Recommended in the treatment of arterial pathologies and in rehabilitation. Useful in the treatment of symptoms associated with COVID-19 and Long COVID.

### BASED ON

L-Arginine, Coenzyme Q10, Ribocare® (Nucleotide blend), Sophora d.e. 20% Luteolin

### USE

**Adults:** 1 sachet a day on a full stomach, dissolved in a glass of water (200 ml).

### PROPERTIES

- **Endothelial trophic support for the body's overall wellbeing.**
- It **improves arterial flow** thanks to arginine and luteolin which promote the wellbeing of the endothelium with an antioxidant and anti-inflammatory action, and also stimulating the production of nitric oxide; it **improves organ functionality** thanks to coenzyme Q10 and nucleotides which, taking advantage of the increased arterial flow, effectively reach the tissues to carry out a powerful pro-energetic and tonic action at the cellular level.
- **Arginine 3000 mg and Coenzyme Q10 200 mg**, dosages well above the market average; nucleotides and luteolin represent a therapeutic peculiarity of the product.
- Excellent palatability: orange flavour.
- Allergen, colorant and preservative free. No added sugar.

**THERAPEUTIC AREAS: CARDIOLOGY • PNEUMOLOGY • NEUROLOGY • GERIATRICS**

## BILIREL®

30 TABLETS



Ministry of Health code no. 41281

### INDICATIONS

Recommended in case of liver steatosis, biliary dyskinesia, biliary insufficiency, dyspeptic syndrome with alterations in liver function, hepatic migraines and post prandial headaches.

### BASED ON

Artichoke d.e. 5% Chlorogenic acid, Milk thistle d.e. 80% Silymarin, L-Methionine, Fumitory d.e. 0.04% Protopine, L-Glutathione

### USE

**Adults:** 1 tablet, twice a day.

### PROPERTIES

- **Amphocholeretic:** it acts as a cholagogue in case of reduced biliary secretion and as an anticholeretic in case of biliary hypersecretion.
- **Cholecystokinetic:** it increases the contractility of the gallbladder, increases biligenesis and the consequent elimination of urea. It is useful in case of dyskinesia and biliary insufficiency.
- **Hepatoprotective:** it counteracts lipid peroxidation of the plasma membrane of the hepatocyte and regulates its permeability, increases protein synthesis and cell regeneration of the hepatocyte and inhibits fibrotic activity, resulting necessary in the treatment of non-alcoholic liver disease (NAFLD).
- **It acts as a spasmolytic on the sphincter of Oddi,** being useful in the treatment of hepatic migraines and post-prandial headaches (decrease in biliary pressure).
- **Clinically tested:** Abenavoli L., Greek, M., Milic, N., Accattato, F., Foti, D., Gulletta, E., & Lizza, F. (2017). *Effect of Mediterranean diet and antioxidant formulation in non-alcoholic fatty liver disease: a randomized study.* *Nutrients*, 9(8), 870.
- Allergen and preservative free. No added sugar.

**THERAPEUTIC AREAS: HEPATOLOGY • GASTRO-ENTEROLOGY**

## CALCOREL®

20 TABLETS



Ministry of Health code no. 41278

### INDICATIONS

Recommended for the treatment and prophylaxis of symptomatic episodes in patients with recurrent uncomplicated urinary stones.

### BASED ON

Magnesium and Potassium tribasic citrates, Phyllanthus d.e. 15% Tannins, Chrysanthellum d.e.

### USE

**Adults:** 1-2 tablets a day, on a full stomach.

### PROPERTIES

- It inhibits calcium oxalate crystal nucleation, growth and aggregation. It has strong uricosuric effects, increasing diuresis and acting as a spasmolytic on the urinary tract smooth muscle.
- It has been clinically demonstrated to significantly reduce stone size, symptomatic episodes and asymptomatic bacteriuria (ABU) after only 3 months of treatment, improving quality of life in patients with urinary stones.
- It contains **Potassium and Magnesium Tribasic Citrates:** the tribasic nature of citrate salt improves the bioavailability of potassium and magnesium.
- **Clinically tested:** (Cai T, Tiscione D, Puglisi M, Malossini G, Ruggera L, Verze P, Arcaniolo D, Palmieri A. (2021). *Phyllanthus niruri an Chrysanthellum americanum in association with potassium and magnesium citrates are able to prevent symptomatic episode in patients affected by recurrent urinary stones: a prospective study.* *Arch Ital Urol Androl*, 93(2):184-188).
- **Excellent compliance for the patients:** well tolerated consumption, especially when taken on a full stomach.
- Allergen, preservative, sweetener free. No added sugar.

**THERAPEUTIC AREAS: NEPHROLOGY • UROLOGY • OTORHINO-LARYNGOLOGY • GASTRO-ENTEROLOGY**

## CALCOREL® CCS

20 SACHETS



 4 g

Ministry of Health code no. 110739



### INDICATIONS

Recommended for the treatment and prophylaxis of symptomatic episodes in patients with recurrent uncomplicated urinary stones.

### BASED ON

Magnesium and Potassium tribasic citrates, Chondroitin sulfate

### USE

**Adults:** 1 sachet a day, on a full stomach, dissolved in a glass of water (200 ml).

### PROPERTIES

- It alkalizes urine by promoting the dissolution of calcium oxalate, urate and cystine stones; it inhibits the growth and aggregation of crystals, improving the trophism of urothelial cells.
- It contains **Potassium and Magnesium Tribasic Citrates**: the tribasic nature of citrate salt improves the bioavailability of potassium and magnesium.
- **High concentration of citrates per sachet**: the daily treatment of kidney stones requires 30-60 mEq of citrates per day, which corresponds to about 4 grams, divided into 2 daily doses. Each sachet contains 1.875 g, corresponding to approximately 30 mEq.
- **Excellent Potassium concentration**: this allows to take advantage of its therapeutic potential without increasing the risk of side effects in predisposed patients.
- It is the only product that contains **Chondroitin sulfate**: it inhibits the growth and aggregation of crystals in the process of stone formation. It improves urothelial cell trophism and their barrier function.
- **It does not contain Citric acid**, an excipient normally used to increase the solubility and palatability of other products.
- **Excellent compliance for the patients**: good solubility and neutral taste; well tolerated consumption, especially when taken on a full stomach.
- Excellent palatability: neutral taste.
- Preservative free.
- Gluten free.
- Naturally lactose free.

**THERAPEUTIC AREAS: NEPHROLOGY • UROLOGY**

## CARDIORIL®

14 SACHETS



 3.4 g

Ministry of Health code no. 47041

### INDICATIONS

Recommended for the protection of subjects at risk of heart failure, particularly in cases of hypertension, diabetes, hyperhomocysteinemia, atherosclerosis and specific heart disease.

### BASED ON

Creatine, Acetyl-L-Carnitine, L-Carnitine, Magnesium, Coenzyme Q10, Vitamin C, Astaxanthin, Vitamin B6, Folic Acid, Vitamin B12

### USE

**Adults:** 1 sachet a day, dissolved in a glass of water (150 ml), preferably in the morning.

### PROPERTIES

- **Double Carnitine** (800 mg per sachet) for an overall cardiogenic effect: **L-Carnitine** stimulates and tones up the myocardium, while **Acetyl-L-Carnitine** balances and supports the cardiac innervation, for a heart that is both tonic at rest and responsive to stress.
- **Folic Acid, Vitamin B6 and Vitamin B12** control homocysteine. Together with **creatine**, they also exert pro-energetic activity.
- **Vitamin C, Coenzyme Q10 and Astaxanthin** act in combination for a broad-spectrum antioxidant action, while **Magnesium** contributes to overall cardiovascular balance.
- **Excellent palatability**: orange flavour.
- Allergen, colorant and preservative free.

**THERAPEUTIC AREAS: CARDIOLOGY • CARDIO-VASCULAR REHABILITATION MEDICINE • GENERAL SURGERY • GERIATRICS  
NEPHROLOGY • DIABETOLOGY • NEUROLOGY • PSYCHIATRY • PSYCHO-GERIATRICS**



## CARDIORIL® MYO

30 TABLETS



Ministry of Health code no. 116644

### INDICATIONS

Recommended as an adjuvant in the treatment of hypercholesterolemia with statins, in order to counteract statin-induced myalgia and diabetes, promote a more rapid achievement of the LDL target and act on any co-presence of altered triglycerides.

### BASED ON

Turmeric d.e. 95% Curcuminoids, Coenzyme Q10, Vitamin D3

### USE

**Adults:** 1 tablet a day, on a full stomach.

### PROPERTIES

- **It prevents and counteracts the side effects of statins:** a deficit of Coenzyme Q10 and Vitamin D3, pre-existing or induced, is frequently associated with statin-induced myalgia; Turmeric has an analgesic and anti-inflammatory action, promoting the release of the GLP-1 hormone so as to contrast the drop in insulin activity that statins consumption can cause over time.
- **It strengthens and completes the therapeutic effects of statins:** Turmeric is a natural inhibitor of the PCSK9 enzyme that degrades LDL receptors, of which statins tend to increase the expression, self-limiting over time; moreover, it reduces the synthesis and increases the degradation of triglycerides.
- **Promotes patient adherence to statin therapy,** significantly improving therapeutic management.
- Allergen, preservative, sweetener free. No added sugar.

**THERAPEUTIC AREAS:** CARDIOLOGY • CARDIO-VASCULAR REHABILITATION MEDICINE • GERIATRICS • DIABETOLOGY

## CARDIORIL® PLUS

10 SINGLE-DOSE BOTTLES



10 ml

Ministry of Health code no. 58364

### INDICATIONS

Recommended for the treatment of heart failure, particularly in case of hypertension, diabetes, hyperhomocysteinemia, atherosclerosis and specific heart disease.

### BASED ON

L-Carnitine, Acetyl-L-Carnitine, Folic acid

### USE

**Adults:** 1 or half single-dose bottle a day (up to the mark indicated on the bottle) according to doctor's advice.

### PROPERTIES

- **Double Carnitine** (800 mg per sachet) for a total cardiogenic effect: **L-Carnitine** stimulates and tones up the myocardium, while **Acetyl-L-Carnitine** balances and supports the cardiac innervation, for a heart that is both tonic at rest and responsive to stress.
- **High-dose Folic Acid (as much as 800 mcg, 400% RNVs, per single-dose bottle)** for homocysteine control and a pro-energetic action.
- **Excellent palatability:** peach flavour.
- Allergen and colorant free.

**THERAPEUTIC AREAS:** CARDIOLOGY • CARDIO-VASCULAR REHABILITATION MEDICINE • GENERAL SURGERY • GERIATRICS  
NEPHROLOGY • DIABETOLOGY • ANDROLOGY • NEUROLOGY • PSYCHIATRY • PSYCHO-GERIATRICS

**COLECRIL®**  
45 SOFTGELS



  
Ministry of Health code no. 51355



**INDICATIONS**

Recommended in the management of chronic inflammatory diseases and for the protection of the vascular endothelium, thanks to its strong anti-inflammatory and antioxidant action.

**BASED ON**

Superba™ Krill Oil: Omega-3 (DHA, EPA), Omega-6

**USE**

**Children from 8Y and adults:** 1 or 2 softgels a day, on a full stomach.

**PROPERTIES**

- Based on **Superba™ Antarctic Krill Oil**, rich in Omega-3 (DHA, EPA): Omega-3 from krill oil, where EPA and DHA are bound to phospholipids, are 3 times more bioavailable than normal fish oil, where Omega-3 are carried by triglycerides.
- It promotes the resolution of the inflammatory process and *restitutio ad integrum*, making it particularly useful in the management of chronic inflammatory diseases and for the protection of the endothelium.
- The phospholipidic molecular fraction of krill oil includes **astaxanthin**, a powerful membrane antioxidant that protects membrane Omega-3 from oxidation.
- The collection of krill is one of the most regulated on the planet, which makes krill oil highly **Eco Friendly** and **Eco-Sustainable**.
- **The absence of contaminants guarantees safety:** krill represents one of the first links in the marine food chain, therefore, any contamination by pollutants is not aggravated by the longevity of the species.
- **Clinically tested:** 1. Cicero A. F., Rosticci, M., Morbini, M., Cagnati, M., Grandi, E., Parini, A., & Borghi, C. (2016). *Lipid-lowering and anti-inflammatory effects of omega 3 ethyl esters and krill oil: a randomized, cross-over, clinical trial*. Archives of medical science - AMS, 12(3), 507.; 2. Tessitore V., *The effects of krill oil administration on Inflammatory Bowel Diseases (IBDs): a promising new therapy* - Progress in Nutrition, 2017 - mattioli1885journals.com.
- Excellent palatability: **no fish aftertaste**, excellent compliance for the patient. Mixed fruit flavour.
- Colorant and preservative free. No added sugar.
- Gluten free.
- Naturally lactose free.

**THERAPEUTIC AREAS:** CARDIOLOGY • GASTRO-ENTEROLOGY • DERMATOLOGY • DIABETOLOGY • DIETOLOGY • NEUROLOGY • GERIATRICS • ANDROLOGY  
UROLOGY • NEPHROLOGY • HEPATOLOGY

**CRC® 500**  
60 CAPSULES



  
Ministry of Health code no. 114796



**INDICATIONS**

Recommended for the management of inflammatory and chronic painful diseases, thanks to its strong anti-inflammatory antioxidant and pain-relieving action of curcuminoids.

**BASED ON**

MERIVA® Curcuminoids phospholipids

**USE**

**Adults:** 1-2 capsules a day.

**Children from 8Y:** 1 capsule a day.

Take preferably 30 minutes before meals.  
You can open the capsule and pour the content into a liquid (milk, yogurt, fruit juice).

**PROPERTIES**

- It contains high-dosage of **MERIVA® Curcuminoids phospholipids** that offers a bioavailability of about 29 times higher than the uncompleted dry extract of turmeric. The **Phytosome®** technology is a patented delivery system, that increases the bioavailability of the active ingredient, improving its effectiveness and duration of action. It counts **more than 25 clinical studies** (peer-reviewed and Pubmed indexed) performed with MERIVA® in different inflammatory pathological conditions.
- It is possible to take it in combination with NSAIDs, favouring a reduction in the duration of treatment and limiting the associated side effects.
- **Total gastric tolerability:** ideal for prolonged therapies.
- Highly stable raw material: the capsule can be opened and the content dispersed in different foods.
- Preservative and sweetener free. No added sugar.
- Gluten free.
- Naturally lactose free.

**THERAPEUTIC AREAS:** GASTRO-ENTEROLOGY • NEUROLOGY • RHEUMATOLOGY • PAIN THERAPY • ORTHOPEDICS • PHYSIATRICS • ONCOLOGY • DIABETOLOGY  
OTORHINO-LARYNGOLOGY • OPHTHALMOLOGY • DERMATOLOGY • DIETOLOGY

>> **WITH PEATONIDE™**  
PATENTED ASSOCIATION

**CRC® DOL**  
20 STICKS



 1.7 g  
Ministry of Health code no. 153051

**INDICATIONS**

Recommended for the treatment of chronic painful and inflammatory pathologies, such as neuropathies, migraine, fibromyalgia, osteoarthritis, cancer pain and several types of pelvic pain.

**BASED ON**

PEATONIDE™ (Palmitoylethanolamide + Melatonin) - **patented association**

**USE**

**Adults:** 1 stick a day, preferably on a full stomach. The product can be dissolved directly and gradually in the mouth, or in a glass of water (200 ml) where it forms a drinkable dispersion.

**PROPERTIES**

- **PEATONIDE™** is a novel analgesic that turns off the **masto-neural circuit** at the base of chronic painful and inflammatory states, **raising the pain threshold** and giving fast and long lasting relief.
- **Palmitoylethanolamide** is associated with a particular technology that makes it **highly water dispersible and more bioavailable and effective** compared to its standard form. It is a physiological molecule with an analgesic and anti-inflammatory action.
- **Melatonin** is microgrammed in order to be **supplemented at any time of the day** without side effects. It is a physiological molecule with an analgesic and anti-inflammatory action independent of its control on sleep-wake cycle.
- **Proven clinical efficacy** in patients with migraine and in patients with fibromyalgia.
- **Great compliance:** it is possible to dissolve the product directly in the mouth or in a glass of water, feeling a fresh mint taste.
- **Ideal for diabetics.**
- Allergen and preservative free.

**THERAPEUTIC AREAS: PAIN THERAPY • NEUROLOGY • ORTHOPEDICS • GINECOLOGY • UROLOGY • GASTRO-ENTEROLOGY • RHEUMATOLOGY  
PHYSIATRICS • SPORTS MEDICINE • GERIATRICS • ONCOLOGY • GENERAL SURGERY • DIABETOLOGY**

**GLICOPER®**  
30 CAPSULES



 Ministry of Health code no. 41276

**INDICATIONS**

Recommended in the treatment of pre-diabetic states and type 2 diabetes mellitus in association with the main antidiabetic drugs, type 1 diabetes mellitus as a supplement to insulin therapy, obesity, “dumping syndrome” or “rapid emptying syndrome” (early and late) and ketogenic diets.

**BASED ON**

White mulberry

**USE**

**Adults:** 1 capsule, 10 minutes before the main meals, up to 3 times a day.

**PROPERTIES**

- Based on white mulberry standardized in 1-deoxynojirimycin (DNJ).
- It reduces the post-prandial glycemic response and the glycemic index of foods by inhibiting the enzymes responsible for the carbohydrate digestion.
- **Stimulates the release of late GLP-1 reducing appetite, promoting the sense of satiety and weight loss.**
- **It works immediately** and for about 90 minutes from the ingestion.
- **It guarantees total gastro-intestinal tolerability:** does not inhibit α-glucosidases of the colonic microbiome.
- **It does not interact with other substances:** it integrates results and improves health outcomes when used together with the main pharmacological treatments for the therapy of type 1 and type 2 diabetes.
- **It increases the “Time in Range” of the diabetic patient:** its action can be measured in real time using CGM devices. This offers patients an enormous biofeedback and ensures adherence to therapy. Improved time in range reduces the risk of endothelial dysfunction.
- **Efficacy and safety documented** by peer reviewed clinical studies.
- In the treatment of obesity, also in association with drug therapy, it promotes weight control.
- Indicated in the treatment of early and late “dumping syndrome” or “rapid emptying syndrome”, which can occur in patients undergoing removal of the stomach or esophagus and in obese individuals undergoing gastric bypass.
- In ketogenic diets it reduces the absorption of carbohydrates, always minimally present in the diet, favouring the consumption of a wider variety of vegetables.
- Excellent compliance for the patient.
- Allergen, preservative and sweetener free. No added sugar.

**THERAPEUTIC AREAS: DIABETOLOGY • GENERAL MEDICINE • DIETOLOGY**

**>> NEW**

# GLICOPER® LEI

**30 SACHETS**

 3 g

**INDICATIONS**

Indicated to restore ovulation, improve oocyte quality and metabolic profile in adolescents and women with Polycystic Ovary Syndrome (PCOS). Also suitable in menopause and post-menopause for metabolic control and body weight control.

**BASED ON**

Folate from Quatrefolic® [(6S)-5-Methyltetrahydrofolic acid, glucosamine salt], White mulberry, Myo-inositol

**USE**

**Adolescents and adults:** 1 sachet during main meals, twice a day. Pour the content of the sachet in a glass of water (150 ml), stir well and take with the meal. It is important that the solution reaches the gut along with the food.

**PROPERTIES**

- **Myo-inositol** acts as a second messenger of the hormones FSH, insulin and TSH. It promotes the regulation of the menstrual cycle and oocyte quality, improving the management of polycystic ovary syndrome (PCOS). It improves tissue sensitivity to insulin, regulating metabolism. It also supports the psycho-physical and cardiovascular health of women during menopause and post-menopause.
- **White mulberry** contains substances such as 1-deoxynojirimycin (DNJ), known to reduce the intestinal absorption of carbohydrates. It reversibly inhibits the enzymes responsible for the digestion of carbohydrates, reducing the post-prandial glycemic and insulin peak, regulating blood sugar levels and reducing insulin resistance. It stimulates the release of late GLP-1, reducing appetite, promoting the feeling of satiety and promoting weight loss.
- **Folate** helps regulate the menstrual cycle, promotes ovulation and controls homocysteine levels, linked to insulin resistance. During menopause, it promotes cardiovascular and bone health.
- Contains **Folate from Quatrefolic®**: biologically active form of Folic acid (5 MTHF) that does not need to be metabolized to exert its action, does not mask Vitamin B12 deficiency and is completely soluble in water
- Excellent palatability: peach tea flavour.
- Without allergens, colorants, preservatives and added sugars.

**THERAPEUTIC AREAS: DIABETOLOGY • GENERAL MEDICINE • DIETOLOGY • GYNECOLOGY • ONCOLOGY**


## GLICOPER®

30 STICKS



Ministry of Health code no. 166381

### INDICATIONS

Recommended in the treatment of pre-diabetic states and type 2 diabetes mellitus in association with the main antidiabetic drugs, type 1 diabetes mellitus as a supplement to insulin therapy, obesity, "dumping syndrome" or "rapid emptying syndrome" (early and late) and in the phase of initiation and maintenance of the state of ketosis in ketogenic diets.

### BASED ON

White mulberry

### USE

**Adults:** 1 stick, dissolved in 150 ml of water, during the main meals, up to 3 times a day.

### PROPERTIES

- Based on white mulberry extract standardized in 1-deoxynojirimycin (DNJ).
- It reduces the post-prandial glycemic response and the glycemic index of foods by inhibiting the enzymes responsible for the carbohydrate digestion.
- **Stimulates the release of late GLP-1 reducing appetite, promoting the sense of satiety and weight loss.**
- **It works immediately** and for about 90 minutes from the ingestion.
- **It guarantees total gastro-intestinal tolerability:** does not inhibit  $\alpha$ -glucosidases of the colonic microbiome.
- **It does not interact with other substances:** it integrates results and improves health outcomes when used together with the main pharmacological treatments for the therapy of type 1 and type 2 diabetes.
- **It increases the "Time in Range" of the diabetic patient:** its action can be measured in real time using CGM devices. This offers patients an enormous biofeedback and ensures adherence to therapy. Improved time in range reduces the risk of endothelial dysfunction.
- **Efficacy and safety documented** by *peer reviewed* clinical studies.
- In the treatment of obesity, also in association with drug therapy, it promotes weight control.
- Indicated in the treatment of early and late "dumping syndrome" or "rapid emptying syndrome", which can occur in patients undergoing removal of the stomach or esophagus and in obese individuals undergoing gastric bypass.
- In ketogenic diets it reduces the absorption of carbohydrates, always minimally present in the diet, favouring the consumption of a wider variety of vegetables.
- Excellent compliance for the patient.
- Allergen, preservative and sweetener free. No added sugar.
- Tea flavour.

**THERAPEUTIC AREAS: DIABETOLOGY • GENERAL MEDICINE • DIETOLOGY**

**LINDOFLOL**  
10 VAGINAL SUPPOSITORIES



 CLASS II MD CE 1370



**INDICATIONS**

Recommended for the symptomatic treatment of vulvovaginitis of any etiology, alterations in the vaginal environment following antibiotic therapy and/or hormonal imbalances.

**BASED ON**

Hyaluronic Acid, 18 Beta-Glycyrrhetic Acid, Tea Tree oil, Vitamin E, Vitamin A, Aloe barbadensis oil extract, Calendula officinalis oil extract, Chamomile recutita oil extract, Lactic Acid

**USE**

**Adults:** 1 vaginal suppository a day, preferably in the evening before bedtime. Continue the treatment for at least 5 consecutive days.

**PROPERTIES**

- Based on anti-microbial, soothing and antioxidant active ingredients.
- They dissolve completely without leaving residues and do not stain underwear.
- Allergen and preservative free.

**THERAPEUTIC AREAS: GYNECOLOGY**

**LUXFLUIRES®**  
14 SACHETS



 4 g  
Ministry of Health code no. 44790

**INDICATIONS**

Recommended in all cases of catarrhal disease of the upper and lower respiratory tract and otorhinolaryngological system. Particularly indicated in case of COPD (Chronic Obstructive Pulmonary Disease).

**BASED ON**

N-Acetylcysteine, Bromelain 2500 GDU/g, Vitamin C, Echinacea d.e. 4% Echinacoside and 20% Polysaccharides, Sundew d.e.

**USE**

**Adults:** 1 sachet a day, preferably on an empty stomach.

**PROPERTIES**

- **More actions in a single product:** it dissolves catarrh, sedates cough and stimulates the body's natural defenses.
- The presence of **NAC** promotes the increase of mucociliary clearance and expectoration, fluidifying mucus.
- It is also useful in case of catarrhal otitis.
- In association with antibiotic therapy: it boosts its effectiveness.
- Excellent palatability: orange flavour.
- Allergen, colorant and preservative free.

**THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY**

**LUXFLUIRES®**  
**IMMUNO**  
30 CAPSULES



 Ministry of Health code no. 99851

**INDICATIONS**

Recommended to strengthen the immune system against viral, bacterial and fungal infections.

**BASED ON**

Vitamin C, Echinacea d.e. 4% in total Polyphenols, Pelagon-P70®

**USE**

**Adults:** 1 capsule a day, just before meals, for at least 1 month. In case of recurrent susceptibility to infections, it is recommended to take the product in repeated cycles.

**PROPERTIES**

- Complete formula for a shock action with double effectiveness: it provides a broad-spectrum protection and nips infections in the bud.
- It contains **PELAGON P-70®**: a branded extract of *Pelargonium sidoides* (African Geranium) which stimulates innate immunity and prevents viral infections. It has anti-adhesive properties and prevents bacterial overinfections. It also exerts motor-secretion properties on the respiratory epithelium. **Since 2005 it has been recognized as a drug by the German Federal Institute for Drugs and Medical Devices (BfArM).**
- **Therapeutic doses:** clinical evidence in respiratory problems shows the complete resolution of all symptoms.
- It counteracts inflammation by inhibiting the production of pro-inflammatory molecules.
- Allergen, colorant and preservative free. No added sugar.

**THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY**

## LUXFLUIRES® LATTOFERRINA 200.D

30 OROSOLUBLE STICKS



 1.4 g

Ministry of Health code no. 107286



### INDICATIONS

Recommended to counteract every kind of viral, bacterial and fungal infections. It counteracts the inflammation associated with the infection.

### BASED ON

Lactoferrin, Vitamin D3 - 1000 IU

### USE

**Adults:** 1 stick a day, 30 minutes before a meal, for at least 1 month, so as to fight the infection and carry out a short-term prevention.

Depending on the infection, the product can be used as monotherapy or as an adjuvant to conventional therapies (symptomatics, antibiotics, antivirals, antifungals).

Dissolve the content of the stick directly in the mouth and make if necessary follow a sip of water.

### PROPERTIES

- It is a complete formulation that offers broad-spectrum immune protection to counteract ongoing infections and prevent flare-ups.
- It reduces inflammation limiting tissue damage and preventing fibrotic phenomena.
- **Ultra-pure high dosage Lactoferrin;** it supports the immune system, exerting anti-viral and anti-bacterial action; it regulates iron absorption and metabolism, by removing it from bacteria that use it as a growth substrate.
- **Vitamin D3** physiologically modulates the immune system, coordinating its normal functioning. Moreover, it helps create a suitable environment to develop a healthy intestinal microflora.
- Colorant and preservative free. No added sugar.
- Gluten Free.
- Naturally lactose free.

**THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY**

## LUXFLUIRES® ORAL SOLUTION



 150 ml

Ministry of Health code no. 45273

### INDICATIONS

Recommended for the treatment of cold states and disorders of the upper respiratory tract. It strengthens the immune system.

### BASED ON

Honey, N-Acetylcysteine, Vitamin C, Echinacea d.e. 4% Echinacoside and 20% Polysaccharides, Pelagon-P70®, Elderberry d.e. 15% Anthocyanins

### USE

**Adults:** 10 ml, twice a day.

### PROPERTIES

- **More actions in a single product:** it dissolves catarrh, sedates cough and stimulates the body's natural defenses.
- The presence of **NAC** promotes the increase of mucociliary clearance and expectoration, fluidifying mucus.
- In association with antibiotic therapy: it boosts its effectiveness.
- It contains Wildflower and Acacia honey of EU origin.
- Excellent palatability: orange flavour.
- Allergen, colorant and sweetener free.

**THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY**

## LUXFLUIRES® GOLA

THROAT SPRAY



 30 ml

Ministry of Health code no. 44789

### INDICATIONS

Recommended in all inflammatory states of the oro-pharyngeal tract, associated with localized pain.

### BASED ON

Propolis hydroglyceric e., Vitamin C, Hedge mustard d.e., Echinacea d.e. 4% Echinacoside and 20% Polysaccharides, Chamomile d.e. 0.3% Apigenin, Bromelain 2500 GDU/g

### USE

**Adults:** 4 nebulizations directly in the oral cavity, 3 times a day.

### PROPERTIES

- It relieves inflammation counteracting burning, difficulty in swallowing and the progression of different oral diseases.
- **Rapid action and long-lasting relief.**
- Practical directional spout that guarantees a precise application.
- Excellent palatability: orange and mint flavour.
- Allergen, colorant and propellant gas free.

**THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY**

## LUXFLUIRES®

NASAL SPRAY



 20 ml

CLASS II MD CE 1370

### INDICATIONS

Recommended in case of rhinitis, sinusitis or rhinosinusitis for the treatment of cold symptoms, especially in case of stuffy nose, rhinorrhoea and recurrent sneezing.

### BASED ON

Concentrated seawater, Sodium hyaluronate, Methylsulfonyl-methane (MSM), Resveratrol

### USE

**Children 1Y-12Y:** 1 nebulization per nostril.

**Adults:** 1-2 nebulizations per nostril.

Repeat application 2-3 times a day or according to the doctor's advice.

### PROPERTIES

- It exerts anti-inflammatory, antiseptic and decongestant action on the nasal mucous membranes.
- It contains **hypertonic seawater (~750 mOsm/L)**: the hydro-saline solution cleans the nasal passages and removes excess mucus, easing breathing difficulties. It reduces nasal symptoms more effectively than isotonic seawater.
- Enriched with **Sodium hyaluronate** for an effective soothing action.
- Excellent tolerability for mucous membranes: it does not irritate. Ideal also for prolonged therapies.
- Practical bottle with handy and non-invasive spout, able to create an adequate nebulization to reach deeply nasal cavities.
- Alcohol, allergen and propellant gas free.

**THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • ALLERGOLOGY**

## MUNATORIL® ATTACCO

20 LONG LIFE

SINGLE-DOSE BOTTLES

+ DROPPER



 10 ml

Ministry of Health code no. 145196



### INDICATIONS

It treats symptoms and prevents complications and relapses of respiratory infections in children.

### BASED ON

Resveratrol, Pelagon-P70®, Vitamin D3

### USE

#### Acute phase:

**Children 1Y-6Y:** 1 single-dose bottle a day, on a full stomach.

**Children 7Y-12Y:** 1 single-dose bottle, 2 times a day, on a full stomach.

From onset to complete resolution of symptoms.

#### Prevention:

**Children 1Y-6Y:** half a single-dose bottle a day, on a full stomach.

**Children 7Y-12Y:** 1 single-dose bottle a day, on a full stomach. A 3-month treatment after the first symptomatic episode is recommended.

Press on the cap and shake well. For younger children: use the dropper to administer the prescribed amount. Once opened, store at room temperature and use within 24 hours.

### PROPERTIES

- It performs a **multi-target action**: it stimulates mucociliary clearance, it is able to exert anti-adhesive activity against microorganisms and promote the phagocytosis of pathogens aside of monocytes and macrophages. It increases the expression of the Vitamin D receptor (VDR) favouring its modulating action on the immune system.
- It contains **PELAGON P-70®**, a branded extract of *Pelargonium sidoides* (African Geranium) which **is recognized as a drug by the German Federal Institute for Drugs and Medical Devices (BfArM) since 2005**.
- Scientific evidences supporting the active ingredients, also conducted on the pediatric population, demonstrate their efficacy and safety of use.
- Handy LONG LIFE single-dose bottles ensure the product quality and stability.
- It comes with a dropper to facilitate the intake of the product in younger children.
- Excellent palatability: white peach flavour (hypoallergenic aroma), children love it.
- Allergen, colorant and sweetener free.

**THERAPEUTIC AREAS: PEDIATRICS • PNEUMOLOGY • OTORHINO-LARYNGOLOGY**



## MUNATORIL®

SYRUP



 150 ml

CLASS II MD C € 0426



### INDICATIONS

Recommended for the treatment of wet and dry cough.

### BASED ON

Wildflower honey, Eucalyptus honey, Iceland Moss, Plantain, Thyme, Propolis, Resveratrol

### USE

**Children 1Y-3Y:** 2.5 ml, twice a day.

**Children 4Y-6Y:** 5 ml, twice a day.

**Children 7Y-12Y:** 7.5 ml, twice a day.

**Adults:** 10 ml, twice a day.

Or as advised by your doctor, up to a maximum of 4 times a day.

### PROPERTIES

- Innovative formulation with a high muco-adhesiveness validated by laboratory tests: greater **permanence of the active ingredients on the mucosa** (until 2 hours after administration), **better and prolonged therapeutic efficacy**.
- **In case of wet cough:** it promotes the hydration of mucus and promotes its elimination without altering the physiological expectorant action of cough.
- **In case of dry cough:** it forms a protective film at pharyngeal level reducing coughing.
- It contains wildflower and eucalyptus honey of EU origin.
- Excellent palatability: orange flavour.
- Allergen and colorant free.

**THERAPEUTIC AREAS: PEDIATRICS • PNEUMOLOGY • OTORHINO-LARYNGOLOGY**

## MUNATORIL®

THROAT SPRAY



 30 ml

CLASS II MD C € 0426



### INDICATIONS

Recommended for all inflammatory conditions of the oropharyngeal tract accompanied by localized pain and swallowing difficulty.

### BASED ON

Propolis, Iceland moss, Plantain, Aloe vera, Blueberry, Sodium hyaluronate, Resveratrol, Vitamin C

### USE

**Children 1Y-5Y:** 2 nebulizations directly into the mouth, 3 times a day.

**Children from 6Y and adults:** 4 nebulizations directly into the mouth, 3 times a day.

Or as advised by your doctor, up to a maximum of 6 times a day.

### PROPERTIES

- Innovative formulation with a high muco-adhesiveness validated by laboratory tests: greater **permanence of the active ingredients on the mucosa** (until 2 hours after administration), **better and prolonged therapeutic efficacy**.
- **Rapid action and long-lasting relief.**
- Enriched with **Sodium hyaluronate** for an effective soothing action.
- Practical directional spout that guarantees a precise application.
- Excellent palatability: citrus flavour.
- Allergen, colorant and propellant gas free.

**THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PEDIATRICS**

## MUNATORIL®

NASAL SPRAY



 20 ml

CLASS II MD CE 1370



### INDICATIONS

Recommended in case of rhinitis, sinusitis or rhinosinusitis for the treatment of cold symptoms, especially in case of stuffy nose, rhinorrhoea and recurrent sneezing.

### BASED ON

Concentrated seawater, Sodium hyaluronate, Aloe Vera, Methylsulfonylmethane (MSM), Resveratrol

### USE

**Children 1Y:** 1 nebulization per nostril, 2-3 times a day.

**Adults:** 1-2 nebulizations per nostril, 3 times a day.

Repeat application 2-3 times a day or according to the doctor's advice.

### PROPERTIES

- It smoothes and cleanses nasal secretions by facilitating the expulsion of stagnant mucus.
- **Slightly hypertonic solution (~ 750 mOsm / L).** \*
- Enriched with **Sodium hyaluronate** for an effective soothing action.
- In association with nasal washes, it protects against superinfections, thanks to the cleansing action of **Resveratrol**.
- It is an adjuvant in nasal cavities inflammations: it is indicated for the treatment of persistent inflammation in asthmatic and allergic subjects, thanks its content in **Resveratrol** which is able to inhibit the expression of ICAM1 counteracting the adhesion of Rhinoviruses.
- It contains **Carboxymethyl Cellulose (CMC)** which contributes to the mucoadhesion of the product and allows for greater permanence on site of all the other components.
- Excellent tolerability for mucous membranes: it does not dry or irritate the mucosa.
- Ideal for prolonged therapies. Does not cause dependence.
- Gas free nebulizer: handy bottle with non-invasive spout, able to create an adequate nebulization to better reach the nasal cavities.
- Alcohol, allergen and propellant gas free.

\* 3% hypertonic solution ~ 1.026 mOsm / L

**THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PEDIATRICS • ALLERGOLOGY**

## PERISTIL® FAST

10 DRINKABLE STICKS



 15 ml

Ministry of Health code no. 96273



### INDICATIONS

Recommended in case of occasional constipation, to promote regular intestinal transit. It is also useful in the preparation for colonoscopy. Excellent in case of constipation associated with hepatic encephalopathy.

### BASED ON

Lactulose, Inulin

### USE

**Adults:** 1 drinkable stick a day, preferably in the evening before dinner or in the morning on an empty stomach.

### PROPERTIES

- The complete synergic action of the ingredients allows to accelerate the intestinal transit, softening stools and relieving abdominal discomfort: laxative efficacy, emollient and soothing action and antispasmodic activity on the gastro-intestinal muscles.
- **Ideal for occasional constipation:** it gives immediate relief.
- **Rapid and painless action against all forms of constipation:** ideal dosages to achieve maximum effectiveness without causing irritation to the gut.
- **Formula enriched with prebiotics:** they improve the quality of the intestinal bacterial flora.
- **Useful in the preparation for colonoscopy:** the association of Lactulose with the classic Polyethylene Glycol (PEG), favours a better emptying and cleaning of the colon than using PEG alone (2 sticks at least 24 hours before colonoscopy).
- **Therapy of choice for constipation during hepatic encephalopathy** (3 sticks a day).
- Excellent palatability: lemon flavour.
- Colorant and sweetener free.
- Gluten free.

**THERAPEUTIC AREAS: GERIATRICS • GASTRO-ENTEROLOGY • PROCTOLOGY • HEPATOLOGY • GENERAL SURGERY • GYNECOLOGY • DIETOLOGY**



**PERISTIL®**  
ORAL SOLUTION



 200 ml

Ministry of Health code no. 48109



**INDICATIONS**

Recommended in case of recurrent constipation, to promote regular intestinal transit.

**BASED ON**

Lactulose, Fructo-oligosaccharides (FOS), Inulin

**USE**

**Children 6M-1Y:** 2.5 ml a day.

**Children 2Y-3Y:** 5 ml a day.

**Children 4Y-6Y:** 7.5 ml a day.

**Children 7Y-12Y:** 10 ml a day.

**Adults:** 15 ml a day.

Take the product in the evening, preferably before dinner or in the morning on an empty stomach.

**PROPERTIES**

- The complete synergic action of the ingredients allows to accelerate the intestinal transit, softening stools and relieving abdominal discomfort: laxative efficacy, emollient and soothing action and antispasmodic activity on the gastro-intestinal muscles.
- **Ideal for recurrent constipation.**
- **Rapid and painless action against all forms of constipation:** ideal dosages to achieve maximum effectiveness without causing irritation to the gut.
- **Formula enriched with prebiotics:** they improve the quality of the intestinal bacterial flora.
- Excellent palatability: lemon flavour.
- Colorant and sweetener free.
- Gluten free.

**THERAPEUTIC AREAS: GERIATRICS • GASTRO-ENTEROLOGY • PROCTOLOGY • GENERAL SURGERY • GYNECOLOGY • PEDIATRICS • DIETOLOGY**

**REURIL ACTIVE®**  
10 OROSOLUBLE STICKS



 1.4 g



**INDICATIONS**

Recommended to rebalance and strengthen the intestinal bacterial flora and counteract all forms of diarrhea, including those related to irritable bowel syndrome, and infective and non-infective gastro-enteritis.

**BASED ON**

**Probiotics:**

*Lactobacillus rhamnosus* - SD5217, *Lactobacillus reuteri* - DSM26866, *Saccharomyces boulardii* - CNCM I-3799

**USE**

**Adults:** 1 orosoluble stick a day, away from meals. Pour the content directly in the mouth, possibly followed by a sip of water.

**PROPERTIES**

- The synergistic effect of probiotics and prebiotics increases the tropism for intestinal cells.
- Multispecies-multistrains probiotics resistant to gastric pH and bile salts: **15 billion CFUs/orosoluble stick.**
- Practical fast absorption orosoluble sticks. Comfortable for travellers.
- It does not need to be stored at low temperatures.
- Excellent palatability: pineapple flavour.
- Allergen, colorant and preservative free.

**THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • PROCTOLOGY • PROBIOTICS**

**REURIL PLUS®**  
10 SACHETS



 3 g

Ministry of Health code no. 67967



**INDICATIONS**

Recommended to rebalance and strengthen the intestinal bacterial flora and contrast abdominal discomfort, irritable bowel syndrome and vaginal and urinary infections.

**BASED ON**

**Probiotics:**

*Lactobacillus rhamnosus* - SD5217, *Lactobacillus reuteri* - DSM26866, *Saccharomyces boulardii* - CNCM I-3799

**USE**

**Adults:** 1-2 sachets a day, away from meals, dissolved in a glass of water (150 ml).

**PROPERTIES**

- The synergistic effect of probiotics and prebiotic increases the tropism for intestinal cells.
- Multispecies-multistrains probiotics resistant to gastric pH and bile salts: **10 billion CFUs/sachet.**
- Packaging designed to ensure the viability of probiotics.
- It does not need to be stored at low temperatures.
- Excellent palatability: vanilla flavour.
- Allergen, colorant and preservative free.

**THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • PROCTOLOGY • PROBIOTICS**

**REURIL PLUS®**  
10 LONG LIFE  
SINGLE-DOSE BOTTLES



 10 ml  
Ministry of Health code no. 59402



**INDICATIONS**

Recommended to rebalance and strengthen the intestinal bacterial flora and counteract stress dysbiosis, bowel irregularities and skin manifestations (dermatitis).

**BASED ON**

- **Prebiotics:** FIBERAID™ AG - Arabinogalactan from Larch bark
- **Probiotics:** *Lactobacillus reuteri* - DSM 26866

**USE**

**Children from 2Y:** 1 single-dose bottle a day, away from meals.

**Adults:** 1-2 single-dose bottles a day, away from meals.

**PROPERTIES**

- The synergistic effect of probiotics and prebiotic increases the tropism for intestinal cells.
- Multistrain and multispecies probiotics resistant to gastric pH and bile salts: **7 billion CFUs/LONG LIFE single-dose bottle.**
- The aqueous solution facilitates the transmission of the probiotic.
- The aqueous solution provides the organism with the already active probiotic: once dispersed in water, the metabolic reactions of the microorganism start and this also favours speed of action inside the organism (useful in case of diarrhea).
- Practical **LONG LIFE single-dose bottles** ensure quality and stability: probiotics separated from the aqueous solution to preserve viability and functionality and reconstituted in aqueous solution only before use.
- It does not need to be stored at low temperatures.
- Excellent palatability: mango flavour.
- Allergen, colorant and sweetener free.

**THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • PROCTOLOGY • PEDIATRICS • ALLERGOLOGY • PROBIOTICS**

**SONNORIL®**  
DROPS



 20 ml  
Ministry of Health code no. 139089

**INDICATIONS**

Recommended to promote a fast and restful sleep.

**BASED ON**

L-Tryptophan, Vitamin B3, Magnolia d.e. 50% Magnolol, Vitamin B6, Melatonin

**USE**

**Adults:** 1 ml a day, directly in the mouth (preferably under the tongue) or diluted in a tablespoon of water or other beverage (5 ml). 13 drops corresponds to the 1-ml mark on the internal dropper.

**PROPERTIES**

- **Fast absorption sublingual melatonin supplement.**
- **It promotes the synthesis of physiological melatonin,** thanks to tryptophan, its precursor, and vitamins B3 and B6, which act as enzymatic cofactors.
- **Magnolia** prolongs the duration of sleep and reduces night awakenings, restoring the normal duration of non-REM phases and increasing the number of non-REM and REM phase cycles.
- Promotes a good night's sleep **without altering the state of alertness during the day.**
- Excellent palatability: peach flavour.
- Alcohol, allergen and colorant free.

**THERAPEUTIC AREAS: NEUROLOGY • PSYCHIATRY • GERIATRICS • CARDIOLOGY • PAIN THERAPY**

**SONNORIL®**  
ORAL SPRAY



 15 ml  
Ministry of Health code no. 99329

**INDICATIONS**

Recommended to promote sleep in a physiological way, contributing to a regenerating sleep without nocturnal awakenings. It helps relieve the symptoms of jet lag.

**BASED ON**

Griffonia d.e. 20% 5-HTP, Melatonin, Jujube d.e. 2% Triterpene saponins

**USE**

**Adults:** 2 sprays (1 mg Melatonin), preferably under the tongue, in the evening just before bedtime or when needed.

**PROPERTIES**

- **Fast absorption and high bioavailable Melatonin**, combined with **Griffonia** and **Jujube**: they work actively to synchronize and promote the maintenance of circadian rhythm, quickly induce the falling asleep phase and increase the total sleep time. They reduce movements during sleep, activity and position changes as well as muscle tone during the REM phase.
- The **sublingual administration of Melatonin** allows to quickly reach the target tissues and perform its different functions by-passing the first hepatic passage.
- **Griffonia** regulates mood and counteracts anxiety.
- **Jujube** has a myorelaxant and anxiolytic action, promoting a peaceful and restorative sleep.
- It does not alter the state of vigilance and gives a restful sleep.
- The practical bottle, with directional dispenser, facilitates sublingual intake, nebulizing the right amount of product.
- Excellent palatability: orange flavour.
- Alcohol, allergen and colorant free. No added sugar.

**THERAPEUTIC AREAS: NEUROLOGY • PSYCHIATRY • GERIATRICS • CARDIOLOGY • PAIN THERAPY**

**SONNORIL®**  
20 TABLETS



 Ministry of Health code no. 41282

**INDICATIONS**

Recommended to promote sleep in a physiological way, contributing to a regenerating sleep without nocturnal awakenings. It helps relieve the symptoms of jet lag.

**BASED ON**

Valerian d.e. 0.8% Valerenic acids, Melatonin MINIACTIVES® Retard, Magnolia d.e. 2% Honokiol, Hops d.e. 0.1% Flavonoids

**USE**

**Adults:** 1 tablet in the evening, preferably just before bedtime.

**PROPERTIES**

- **Controlled-release and high bioavailable Melatonin**, in association with **Hops**, **Magnolia** and **Valerian**, actively work to synchronize and promote the maintenance of circadian rhythm, quickly induce the falling asleep phase and increase the total sleep time. It reduces movements during sleep, activity and position changes as well as muscle tone during the REM phase.
- It contains **Melatonin MINIACTIVES® Retard** which uses **MINIACTIVES® technology to ensure a constant and gradual release of melatonin over time**. Its absorption is not affected by changes in pH, gastro-intestinal motility and the presence of food, thus promoting greater bioavailability.
- **Valerian** counteracts anxiety and promotes a restful sleep. It exerts a GABAergic activity and, therefore, an inhibitory action, similar to those of benzodiazepines, but without being addictive.
- **Hops** improve sleeping quality: it modulates GABAergic transmission, influences serotonin synthesis, which is involved in night-time sleep regulation, and controls the expression of adenosine receptors, which take an active part in managing sleep mechanisms.
- **Magnolia** reduces nocturnal awakenings and prolongs sleep duration, restores the correct duration of NREM (non-REM) phases and increases the number of cycles of NREM and REM phases, for a longer sleep duration.
- In vitro tests show the constant and gradual release of Melatonin at night.
- It does not alter the state of vigilance and gives a restful sleep.
- Allergen, preservative and sweetener free. No added sugar.

**THERAPEUTIC AREAS: NEUROLOGY • PSYCHIATRY • GERIATRICS • CARDIOLOGY • PAIN THERAPY**

## SPERMACT®

45 TABLETS



Ministry of Health code no. 48820

### INDICATIONS

Recommended in case of oligo-astheno-teratozoospermia, varicocele surgery recovery, in the treatment of male infertility in combination with hormonal therapies and in preparation for Medically Assisted Procreation (MAP) procedures.

### BASED ON

L-Carnitine, Vitamin C, N-Acetylcysteine, Ginkgo d.e. 24% Ginkgoflavonoids, Pido-Zinc® Zinc pidolate, Coenzyme Q10, Vitamin E, Inositol, Selenium L-Methionine

### USE

**Adults:** 1 tablet a day, preferably in the morning. Therapy cycles of at least 3 months are suggested, interrupted by a 14-day break.

### PROPERTIES

- It actively works on four different fronts: spermatogenesis, androgenic system, sperm motility and oxidative stress.
- It contains a high concentration of antioxidants.
- It contains **Pido-Zinc®**, a highly bioavailable Zinc pidolate.
- Allergen, preservative and sweetener free. No added sugar.

**THERAPEUTIC AREAS: ANDROLOGY • REPRODUCTIVE MEDICINE • UROLOGY**

## ZACHELASE®

20 SACHETS



4.78 g

Ministry of Health code no. 67966



### INDICATIONS

Recommended in all cases of inflammation and/or edema of soft tissues, for the prevention of wound chronicization, and in case of radio-induced fibrosis.

### BASED ON

Bromelain 2,500 GDU/g, Superoxide dismutase (SOD B Extramel®), Methylsulfonylmethane (MSM), Vitamin C

### USE

**Adults:** 1 sachet a day, away from meals, dissolved in a glass of water (200 ml).

### PROPERTIES

- It contains a **high dosage/sachet of Bromelain with high enzymatic activity (2,500 GDU/sachet; 5,000 FIP/sachet)** and a high concentration of **Methylsulfonylmethane (MSM)**: maximum anti-inflammatory and anti-edemigenous action.
- It contains a high amount of **Vitamin C** and **SOD B Extramel®**, superoxide dismutase of vegetal origin, 100% bioactive and protected from degradation, thanks to a patented microencapsulation technology: maximum antioxidant and cytoprotective efficacy.
- It exerts an important anti-fibrotic action: Bromelain and SOD B Extramel® promote the resolution of inflammation and the tissues regeneration process, as well as the regression of pre-existing fibrosis.
- **Total gastric tolerability:** ideal for prolonged therapies.
- In association with NSAIDs: it boosts their action and reduces their intake time.
- In association with antibiotic therapy: it boosts its effectiveness.
- Excellent palatability: orange flavour.
- Allergen and preservative free.

**THERAPEUTIC AREAS: GENERAL SURGERY • ESTHETIC MEDICINE AND SURGERY • DERMATOLOGY • UROLOGY • ANDROLOGY • SENOLOGY • ONCOLOGY • DENTISTRY • ORTHOPEDICS • PHYSIATRY • PHYSIOTHERAPY • TRAUMATOLOGY • SPORTS MEDICINE • ALLERGOLOGY • PNEUMOLOGY • OTORHINO-LARYNGOLOGY • VASCULAR MEDICINE • VASCULAR SURGERY • PHLEBOLOGY • ANGIOLOGY • OPHTHALMOLOGY**



## ZACHELASE® JUNIOR

10 LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES



 10 ml

Ministry of Health code no. 123749



### INDICATIONS

Recommended in the treatment of all acute inflammatory and traumatic conditions in children.

### BASED ON

Bromelain 2,500 GDU/g, Microencapsulated *Lactobacillus acidophilus* - DSM 21717, Methylsulfonylmethane (MSM)

### USE

**Children from 5 to 15 kg (<3Y):** half a single-dose bottle a day (up to the mark on the bottle), away from meals.

**Children from 15 kg (>4 years of age):** half a single-dose bottle (up to the mark on the bottle), twice a day, away from meals.

### PROPERTIES

- It contains a **high dosage/single-dose bottle of Bromelain with high enzymatic activity (625 GDU/single-dose bottle; 1,250 FIP/single-dose bottle)** and a high concentration of **Methylsulfonylmethane (MSM)**: maximum anti-inflammatory and anti-edemigenous action.
- It exerts a great anti-fibrotic action: Bromelain promotes the resolution of inflammation and the tissues regeneration process.
- It contains **2.5 billion CFUs of a microencapsulated probiotic**: excellent in combination with antibiotic therapy.
- **Total gastric tolerability**: ideal for prolonged therapies.
- **Pediatric dosages of the active ingredients supported by clinical evidence that ensure efficacy and safety of use.**
- In association with NSAIDs: it boosts their action and reduces their intake time.
- In association with antibiotic therapy: it boosts its effectiveness.
- Practical **LONG LIFE SUPER-MAXI single-dose bottles** that ensure quality and stability.
- Excellent palatability: strawberry flavour (hypoallergenic aroma), children love its taste.
- Allergen, colorant and sweetener free.

**THERAPEUTIC AREAS:** PEDIATRICS • PEDIATRIC SURGERY • PEDIATRIC DERMATOLOGY • PEDIATRIC UROLOGY • PEDIATRIC ONCOLOGY  
PEDIATRIC DENTISTRY • PEDIATRIC ORTHOPEDICS • PEDIATRIC PHYSIOTHERAPY • PEDIATRIC TRAUMATOLOGY  
PEDIATRIC SPORTS MEDICINE • PEDIATRIC ALLERGOLOGY • PEDIATRIC PNEUMOLOGY • PEDIATRIC • OTORHINO-LARYNGOLOGY  
PEDIATRIC OPHTHALMOLOGY • NEONATOLOGY

## ZACHELASE® LOX

20 TABLETS



Ministry of Health code no. 111135

### INDICATIONS

Recommended in the treatment of all acute inflammatory and traumatic conditions.

### BASED ON

Bromelain 2,500 GDU/g, Boswellia Phytosome® (Casperome®) d.e., Superoxide dismutase (SOD B Extramel®)

### USE

**Adults:** 1-2 tablets a day, away from meals.

### PROPERTIES

- It contains a **high dosage/tablet of Bromelain with high enzymatic activity (2,000 GDU/tablet; 4,000 FIP/tablet)** that favours an anti-inflammatory and anti-edemigenous action.
- It contains **SOD B Extramel®**, 100% bioactive superoxide dismutase of vegetable origin and protected from degradation, thanks to a patented microencapsulation technology: excellent antioxidant and cytoprotective efficacy.
- It contains **CASPEROME® Boswellia Phytosome®**: a patented delivery system that makes boswellic acids about 4 times more bioavailable than dry extract, not complexed with Phytosome®. CASPEROME® leads to a clinically and statistically significant reduction of joint pain, functional limitation and edema. A comparative pharmacokinetics study between CASPEROME® and a boswellic acids extract, conducted in humans, showed that CASPEROME® exhibits a significantly higher bioavailability than the dry extract; 1 ½ -2 hours faster absorption.
- **Total gastric tolerability**: ideal for prolonged therapies.
- In association with NSAIDs: it boosts their action and reduces their intake time.
- In association with antibiotic therapy: it boosts its effectiveness.
- Preservative and sweetener free. No added sugar.
- Gluten free.
- Naturally lactose free.

**THERAPEUTIC AREAS:** GENERAL SURGERY • ORTHOPEDICS • PHYSIATRY • PHYSIOTHERAPY • TRAUMATOLOGY • SPORTS MEDICINE • ALLERGOLOGY  
PNEUMOLOGY • OTORHINO-LARYNGOLOGY • VASCULAR MEDICINE • VASCULAR SURGERY • PHLEBOLOGY • ANGIOLOGY  
OPHTHALMOLOGY • ESTHETIC MEDICINE AND SURGERY • DERMATOLOGY • UROLOGY • ANDROLOGY  
SENOLOGY • ONCOLOGY • DENTISTRY













**PHARMALUCE**

**Pharmaluce S.r.l.**

Strada delle Seriole, 45  
47894 Chiesanuova (RSM)

Tel.+39 0549 911630

[www.pharmaluce.com](http://www.pharmaluce.com)

[info@pharmaluce.com](mailto:info@pharmaluce.com)

